

PT 23419, Lengkok Teknologi, techpark@enstek,
71760 Bandar ENSTEK
Negeri Sembilan, Malaysia
Tel: +606-798 7300 • Fax: +606-791 3333
E-mail: office@purecircle.com

CERTIFICATE OF ANALYSIS

NAME OF PRODUCT:	Rebaudioside X (CAS #1220616-44-3)
BATCH #:	PT200212
MANUFACTURING DATE:	4th May 2012
SHELF LIFE:	2 years from manufacturing date
MANUFACTURING CONDITIONS:	GMP (ISO 22,000:2005/22,002-1:2009)
STORAGE CONDITIONS:	Cool, dry and ventilated area

PARAMETER	METHODS	SPECIFICATION	RESULTS
Appearance	Sensory Evaluation	White to off-white powder	Approved
Taste and Odor	" "	Clean sweet taste with no abnormal odor	Approved
Absorbance, (370nm)	GB 8270-1999	≤0.1	0.012
Total Steviol Glycosides, % (anhydrous basis)	JECFA, 2010*	≥95.0	99.52
Rebaudioside X, % (anhydrous basis)	" "	≥51.0	96.32
Loss on Drying, %	JECFA Vol.4	≤6.0	3.02
Solubility	" "	Sparingly soluble in water and ethanol	Passed
pH, 1% solution	" "	4.5 - 7.0	5.00
Residual Ethanol, %	USP<467>	<0.30	0.083
Residual Methanol, %	" "	<0.02	0.006
Ash, %	JECFA Vol.4	<1.0	0.08
Lead (as Pb), ppm	AOAC 993.14	<1.0	0.213
Arsenic (as As), ppm	" "	<1.0	0.009
Cadmium (as Cd), ppm	" "	<1.0	<0.005
Mercury (as Hg), ppm	" "	<1.0	<0.005
Total Plate Count, CFU/g	AOAC 966.23	<1000	10
Yeast, CFU/g	AS 1766.2.2	Not Detected	Not Detected
Mold, CFU/g	" "	Not Detected	Not Detected
Total Coliforms, MPN/g	BS 5763:PART 3/ISO 4831	Not Detected	Not Detected
<i>E.coli</i> count, MPN/g	BS 5763:PART 8/ISO 7251	Not Detected	Not Detected
Thermophilic acidophilic bacteria, CFU/g	JFJA 2007**	Not Detected	Not Detected
Guaiacol producing bacteria, CFU/g	" "	Negative in 1g	Negative
<i>S.aureus</i> , CFU/g	Chapter 12, FDA	Not Detected	Not Detected
<i>Salmonella</i> sp.	BS 5763:PART 4/ISO 6579	Absent in 25g	Absent
<i>Listeria</i>	Chapter 10, FDA	Absent in 25g	Absent
Particle size, % (through US mesh #20)	Sieve Analysis	>95	Passed

* "Steviol Glycosides" specification of FAO JECFA Monographs 10 (2010) + Rebaudioside X

**United Test Method for Thermophilic Acidophilic Bacilli, Japan Fruit Juice Association, Jan-2007

Prepared by:

Quality Assurance Department
Date: 26th February 2013

Reviewed by:

Quality Assurance Department
Date: 26th February 2013