

Gazette

No. FSC 47, Thursday, 15 January 2009 Published by Commonwealth of Australia

FOOD STANDARDS

Food Standards Australia New Zealand

Australia New Zealand Food Standards Code – Amendment No. 105 – 2009

Australia New Zealand Food Standards Code - Amendment No. 105 - 2009

Food Standards Australia New Zealand Act 1991

Preamble

The variations set forth in the Schedule below are variations to Standards in the *Australia New Zealand Food Standards Code* published by the National Health and Medical Research Council in the *Commonwealth of Australia Gazette*, No. P 27, on 27 August 1987, which have been varied from time to time.

Citation

These variations may be collectively known as the *Australia New Zealand Food Standards Code* – Amendment No. 105 – 2009.

Commencement

These variations commence on 15 January 2009.

SCHEDULE

- [1] **Standard 1.1.1** is varied by –
- [1.1] inserting in clause 2
 - **galacto-oligosaccharides** means a mixture of those substances produced from lactose by enzymatic action, comprised of between two and eight saccharide units, with one of these units being a terminal glucose and the remaining saccharide units being galactose, and disaccharides comprised of two units of galactose.
 - inulin-derived substances means mixtures of polymers of fructose with predominantly β (2 \rightarrow 1) fructosyl-fructose linkages, with or without a terminal glucose molecule and includes inulin, but does not include those polymers of fructose produced from sucrose by enzymatic action.
- [1.2] inserting after clause 9 –

9A Certain substances not nutritive substances

Inulin-derived substances are taken not to be nutritive substances.

[2] Standard 1.4.1 is varied by omitting from the Table to clause 2, under the heading Cadmium, the entry for Peanuts, substituting –

L =	. .
Decourte	1
1 Peanits	\cup

[3] **Standard 1.4.2** is varied by –

[3.1] omitting from Schedule 1 the chemical residue definition for the chemical appearing in Column 1 of the Table to this sub-item, substituting the chemical residue definition appearing in Column 2 –

COLUMN 1	COLUMN 2
CLOTHIANIDIN	CLOTHIANIDIN

[3.2] inserting in Schedule 1 –

DIMETHENAMID-P	
SUM OF DIMETHENAMID-P AND ITS (R)-ISOMER	
COMMON BEAN (PODS AND/OR	*0.02
IMMATURE SEEDS)	
EDIBLE OFFAL (MAMMALIAN)	*0.01
EGGS	*0.01
MAIZE	*0.02
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
PEAS	*0.02
POPPY SEED	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01

PULSES PUMPKINS	*0.02 *0.02	
SWEET CORN (CORN-ON-THE- COB)	*0.02	
SULFURYL FLUORIDE		
SULFURYL FLUORIDE		
CEREAL GRAINS	0.05	
CEREAL GRAINS DRIED FRUITS	0.05 0.07	
0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	0.00	
DRIED FRUITS	0.00	

$[3.3] \quad \textit{omitting from Schedule 1 the foods and associated MRLs for each of the following chemicals} \, -$

BIFENTHRIN		
BIFENTHRIN		
LETTUCE, HEAD T2		
CLOTHIANIDIN		
COMMODITIES OF PLANT ORIGIN: CLOTHIANIDIN		
COMMODITIES OF ANIMAL ORIGIN: SUM OF		
CLOTHIANIDIN, 2-CHLOROTHIAZOL-5-		
YLMETHYLGUANIDINE, 2-CHLOROTHIAZOL-5-		
YLMETHYLUREA, AND THE PYRUVATE		
DERIVATIVE OF N-(2-CHLOROTHIAZOL-5-		
YLMETHYL)-N'-METHYLGUANIDINE EXPRESSED		
AS CLOTHIANIDIN		
MEAT (MAMMALIAN) (IN THE T*0.02		
FAT)		
FLUORINE (INORGANIC SALTS)		
FLUORIDE ION		
FRUIT 7		
VEGETABLES 7		
GLYPHOSATE		
SUM OF GLYPHOSATE AND		
AMINOMETHYLPHOSPHONIC ACID (AMPA)		
METABOLITE, EXPRESSED AS GLYPHOSATE		
OILSEED [EXCEPT COTTON AND *0.1		
RAPE SEED]		

MALDISON	
MALDISON	
VEGETABLES [EXCEPT AS	2
OTHERWISE LISTED UNDER	_
THIS CHEMICAL]	
, , , , , , , , , , , , , , , , , , ,	
METHOMYL	
SUM OF METHOMYL AND METHY	'L
HYDROXYTHIOACETIMIDATE ('METH	OMYL
OXIME'), EXPRESSED AS METHOMYL	
SEE ALSO THIODICARB	
BERGAMOT	T5
BURNET, SALAD	T5
CHERVIL	T5
CORIANDER (LEAVES, STEM,	T10
ROOTS)	
CORIANDER, SEED	T5
DILL, SEED	T5
FENNEL, SEED	T5
GALANGAL, GREATER	T*0.02
KAFFIR LIME LEAVES	T5
LEMON GRASS	T5
LEMON VERBENA (DRY LEAVES)	T5
MIZUNA	T5
ROSE AND DIANTHUS (EDIBLE	T5
FLOWERS)	
RUCOLA (ROCKET)	T5
TURMERIC, ROOT	T*0.02

	RACTOPAMINE	
	RACTOPAMINE	
CATTLE FAT		T*0.02

CATTLE KIDNEY	T0.1
CATTLE MEAT	T*0.02

[3.4] inserting in alphabetical order in Schedule 1, the foods and associated MRLs for each of the following chemicals –

AZOXYSTROBIN		
AZOXYSTROBIN		
MAIZE	T*0.01	
Days and the second		
BIFENAZATE CHA OF DIFFENAZATE AND DIFFENAZA	A IDE	
SUM OF BIFENAZATE AND BIFENAZ		
DIAZENE (DIAZENECARBOXYLIC ACID		
METHOXY-[1,1'-BIPHENYL-3-YL] METHYLETHYL ESTER), EXPRESSED		
BIFENAZATE	AS	
PEAS	T0.5	
BIFENTHRIN		
BIFENTHRIN		
LEAFY VEGETABLES [EXCEPT	T2	
CHERVIL; MIZUNA; RUCOLA		
(ROCKET)]		
CLOSANTEL		
CLOSANTEL		
CATTLE FAT	Т3	
CATTLE KIDNEY	T3	
CATTLE LIVER	T1	
CATTLE MUSCLE	T1	
CHITE MEGGEE		
CLOTHIANIDIN		
COMMODITIES OF PLANT ORIGIN: CLOTH	IIANIDIN	
COMMODITIES OF ANIMAL ORIGIN: SUM OF		
CLOTHIANIDIN, 2-CHLOROTHIAZOL-5-		
YLMETHYLGUANIDINE, 2-CHLOROTHIAZOL-5-		
YLMETHYLUREA, AND THE PYRUVA		
DERIVATIVE OF N-(2-CHLOROTHIAZOL-5-		
YLMETHYL)-N'-METHYLGUANIDINE EXI	PRESSED	
AS CLOTHIANIDIN		
EGGS	*0.02	
MEAT (MAMMALIAN)	*0.02	
POULTRY, EDIBLE OFFAL OF	*0.02	
POULTRY MEAT	*0.02	
CYANAMIDE		
CYANAMIDE		
APPLE	*0.02	
BLUEBERRIES	*0.05	
Gran on we		
CYPRODINIL CYPRODINIL		
CUCUMBER	T0.2	
LETTUCE, HEAD	T10	
PEPPERS, SWEET	T0.5	

FLORFENICOL	
SUM OF FLORFENICOL AND ITS M	IETABOLITES
FLORFENICOL ALCOHOL, FLORFEN	NICOL OXAMIC
ACID, MONOCHLOROFLORFEN	
FLORFENICOL AMINE EXPRE	
FLORFENICOL AMINI	
FISH	T0.5
11311	10.3
FLUDIOXONIL	
COMMODITIES OF ANIMAL ORIG	IN: SUM OF
FLUDIOXONIL AND OXIDISABLE M	METABOLITES,
EXPRESSED AS FLUDIOX	ONIL
COMMODITIES OF PLANT ORIGIN:	FLUDIOXONIL
CUCUMBER	T0.3
LETTUCE, HEAD	T10
PEPPERS, SWEET	T2
TEITERS, SWEET	12
FLUORINE (INORGANIC S	SALTS)
FLUORIDE ION	ŕ
DRIED FRUITS	5
GRAPES	7
PEANUT	30
TREE NUTS	30
WHEAT GERM	10
WILLAT GERWI	10
GLYPHOSATE	
SUM OF GLYPHOSATE A	AND
AMINOMETHYLPHOSPHONIC AC	CID (AMPA)
METABOLITE, EXPRESSED AS G	LYPHOSATE
LINSEED	T5
OILSEED [EXCEPT COTTON	T*0.1
SEED; LINSEED; RAPE SEED]	1 0.1
ISOXABEN	
*	
ISOXABEN	*0.01
BARLEY	*0.01
BARLEY EDIBLE OFFAL (MAMMALIAN)	*0.01
BARLEY EDIBLE OFFAL (MAMMALIAN) EGGS	*0.01 *0.01
BARLEY EDIBLE OFFAL (MAMMALIAN)	*0.01 *0.01 *0.01
BARLEY EDIBLE OFFAL (MAMMALIAN) EGGS	*0.01 *0.01
BARLEY EDIBLE OFFAL (MAMMALIAN) EGGS MEAT (MAMMALIAN) MILKS	*0.01 *0.01 *0.01
BARLEY EDIBLE OFFAL (MAMMALIAN) EGGS MEAT (MAMMALIAN)	*0.01 *0.01 *0.01 *0.01
BARLEY EDIBLE OFFAL (MAMMALIAN) EGGS MEAT (MAMMALIAN) MILKS POULTRY, EDIBLE OFFAL OF POULTRY MEAT	*0.01 *0.01 *0.01 *0.01 *0.01
BARLEY EDIBLE OFFAL (MAMMALIAN) EGGS MEAT (MAMMALIAN) MILKS POULTRY, EDIBLE OFFAL OF	*0.01 *0.01 *0.01 *0.01 *0.01 *0.01
BARLEY EDIBLE OFFAL (MAMMALIAN) EGGS MEAT (MAMMALIAN) MILKS POULTRY, EDIBLE OFFAL OF POULTRY MEAT TRITICALE	*0.01 *0.01 *0.01 *0.01 *0.01
BARLEY EDIBLE OFFAL (MAMMALIAN) EGGS MEAT (MAMMALIAN) MILKS POULTRY, EDIBLE OFFAL OF POULTRY MEAT TRITICALE WHEAT MALDISON	*0.01 *0.01 *0.01 *0.01 *0.01 *0.01
BARLEY EDIBLE OFFAL (MAMMALIAN) EGGS MEAT (MAMMALIAN) MILKS POULTRY, EDIBLE OFFAL OF POULTRY MEAT TRITICALE WHEAT MALDISON MALDISON	*0.01 *0.01 *0.01 *0.01 *0.01 *0.01 *0.01
BARLEY EDIBLE OFFAL (MAMMALIAN) EGGS MEAT (MAMMALIAN) MILKS POULTRY, EDIBLE OFFAL OF POULTRY MEAT TRITICALE WHEAT MALDISON	*0.01 *0.01 *0.01 *0.01 *0.01 *0.01

VEGETABLES [EXCEPT BEANS (DRY); CAULIFLOWER; CHARD (SILVERBEET); EGG PLANT; GARDEN PEA; KALE; KOHLRABI; LENTIL (DRY); PEPPERS, SWEET; ROOT AND TUBER VEGETABLES; SHALLOT; SPRING ONION; TOMATO; TURNIP, GARDEN]	2
PHOSPHOROUS ACID	
PHOSPHOROUS ACID	
FLOWERHEAD BRASSICAS	T50
PROPICONAZOLE	
PROPICONAZOLE	
SPINACH	T0.1
PROSULFOCARB	
PROSULFOCARB	
EDIBLE OFFAL (MAMMALIAN)	*0.02
EGGS	*0.02
MEAT (MAMMALIAN)	*0.02
MILKS	*0.02
POULTRY, EDIBLE OFFAL OF	*0.02

POULTRY MEAT	*0.02	
THIAMETHOXAM		
COMMODITIES OF PLANT ORIGI	IN:	
THIAMETHOXAM		
COMMODITIES OF ANIMAL ORIGIN: SUM OF		
THIAMETHOXAM AND N-(2-CHLORO-THIAZOL-5-		
YLMETHYL)-N'-METHYL-N'-NITRO-GUANIDINE,		
EXPRESSED AS THIAMETHOXAM		
SUGAR CANE	T*0.02	
TOLTRAZURIL		
SUM OF TOLTRAZURIL, ITS SULFOXIDE AND		
SULFONE, EXPRESSED AS TOLTRAZURIL		
CATTLE FAT	1	
CATTLE KIDNEY	1	
CATTLE LIVER	2	
CATTLE MUSCLE	0.25	
TOLYLFLUANID		
TOLYLFLUANID		
CUCUMBER	T2	

[3.5] omitting from Schedule 1, under the entries for the following chemicals, the Maximum Residue Limit for the food, substituting –

CHLORPYRIFOS			
CHLORPYRIFOS			
PARSLEY	0.05		

CLOTHIANIDIN			
COMMODITIES OF PLANT ORIGIN: CLOTHIANIDIN			
COMMODITIES OF ANIMAL ORIGIN: SUM OF			
CLOTHIANIDIN, 2-CHLOROTHIAZOL-5-			
YLMETHYLGUANIDINE, 2-CHLOROTHIAZOL-5-			
YLMETHYLUREA, AND THE PYRUVATE			
DERIVATIVE OF N-(2-CHLOROTHIAZOL-5-			
YLMETHYL)-N'-METHYLGUANIDINE EXPRESSED			
AS CLOTHIANIDIN			
APPLE	0.5		
BANANA	*0.02		
COTTON SEED	*0.02		
EDIBLE OFFAL (MAMMALIAN)	*0.02		
MILKS	*0.01		
NECTARINE	2		
PEACH	2		
PEAR	0.5		
FLUDIOXONIL			
COMMODITIES OF ANIMAL ORIGIN: SUM OF			
FLUDIOXONIL AND OXIDISABLE METABOLITES,			
EXPRESSED AS FLUDIOXONIL			
COMMODITIES OF PLANT ORIGIN: FLUDIOXONIL			
SORGHUM	*0.01		

METSULFURON-METHYL		
LINSEED *0.02		
PROSULFOCARB		
PROSULFOCARB		
BARLEY *0.01		
WHEAT *0.01		
PROTHIOCONAZOLE		
COMMODITIES OF PLANT ORIGIN: SUM OF		
PROTHIOCONAZOLE AND PROTHIOCONAZOLE		
DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-		
CHLOROPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-		
PROPAN-2-OL), EXPRESSED AS		
PROTHIOCONAZOLE		
COMMODITIES OF ANIMAL ORIGIN: SUM OF		
PROTHIOCONAZOLE, PROTHIOCONAZOLE		
DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-		
CHLOROPHENYL)-3-(1H-1,2,4-TRIAZOL-1-YL)-		
PROPAN-2-OL), PROTHIOCONAZOLE-3-		
HYDROXY-DESTHIO (2-(1-		
CHLOROCYCLOPROPYL)-1-(2-CHLORO-3-		
HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-		
PROPAN-2-OL) AND PROTHIOCONAZOLE-4-		
HYDROXY-DESTHIO (2-(1-		
CHLOROCYCLOPROPYL)-1-(2-CHLORO-4-		
HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-		
PROPAN-2-OL), EXPRESSED AS		
PROTHIOCONAZOLE		

*0.05

EDIBLE OFFAL (MAMMALIAN)

METSULFURON-METHYL

EGGS	*0.01			
MEAT (MAMMALIAN) (IN THE	*0.01			
FAT)				
MILKS	*0.004			
POULTRY, EDIBLE OFFAL OF	*0.05			
POULTRY MEAT (IN THE FAT)	*0.05			
WHEAT	*0.05			
PYRASULFOTOLE				
SUM OF PYRASULFOTOLE AND (5-HYDROXY-3-				
METHYL-1 <i>H</i> -PYRAZOL-4-YL)[2-MESYL-4-				
(TRIFLUOROMETHYL)PHENYL]METHANONE,				

EXPRESSED AS PYRASULFOTOLE

CEREAL GRAINS	*0.02
EDIBLE OFFAL (MAMMALIAN)	0.5
EGGS	*0.01
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01

[4] *Standard 2.9.1* is varied by –

[4.1] inserting after clause 9 –

CEREAL BRAN, UNPROCESSED

9A Permitted inulin-derived substances and galacto-oligosaccharides

- (1) Infant formula product may contain no more than
 - (a) 110 mg per 100 kJ of inulin-derived substances; or
 - (b) 290 mg per 100 kJ of galacto-oligosaccharides; or
 - (c) 290 mg per 100 kJ of combined inulin-derived substances and galactooligosaccharides, where the inulin-derived substances is no more than 110 mg per 100 kJ.
- (2) For subclause (1) the maximum permitted amount only applies when the substances are added. In that case the maximum permitted amount then applies to the sum of the naturally occurring and the added substances.
- [4.2] *omitting paragraph 16(1)(c), substituting*
 - (c) the average amount of each vitamin, mineral and any other nutritive substance permitted by this Standard expressed in weight per 100 mL; and
 - (d) when added, the average amount of
 - (i) a combination of inulin-derived substances and galactooligosaccharides; or
 - (ii) inulin-derived substances; or
 - (iii) galacto-oligosaccharides

expressed in weight per 100 mL.

- [4.3] *omitting paragraph 16(2)(d), substituting*
 - (d) a declaration
 - (i) of the weight of one scoop in the case of powdered infant formula; and

- (ii) of the proportion of powder or concentrate required to reconstitute the formula according to directions; and
- (e) when added, the average amount of
 - (i) a combination of inulin-derived substances and galactooligosaccharides; or
 - (ii) inulin-derived substances; or
 - (iii) galacto-oligosaccharides

expressed in weight per 100 mL.

- [4.4] *omitting clause 20, substituting*
- (1) The label on a package of infant formula product must not contain
 - (a) a picture of an infant; or
 - (b) a picture that idealises the use of infant formula product; or
 - (c) the word 'humanised' or 'maternalised' or any word or words having the same or similar effect; or
 - (d) words claiming that the formula is suitable for all infants; or
 - (e) information relating to the nutritional content of human milk; or
 - subject to clause 28, a reference to the presence of any nutrient or nutritive substance, except for a reference to a nutrient or nutritive substance in
 - (i) clause 30 claims relating to lactose free formula or low lactose formula; or
 - (ii) Standard 1.2.4 Labelling of Ingredients; or
 - (iii) clause 16 declaration of nutrition information; or
 - (g) subject to Division 3, a representation that the food is suitable for a particular condition, disease or disorder.
- (2) Subject to clause 28, the label on a package of infant formula product must not contain a reference to inulin-derived substances or galacto-oligosaccharides except for a reference to either substances in
 - (a) a statement of ingredients; or
 - (b) the nutrition information statement.
- [4.5] *omitting the* Nutrition Information *table in the* Guidelines for Infant Formula Products, *substituting* –

NUTRITION INFORMATION

	Average amount per 100 mL made up formula *1	Average amount per 100 g of powder (or per 100 mL for liquid concentrate) *2
Energy	kJ	kJ
Protein	g	g
Fat	g	g g
Carbohydrate	g g	g
Vitamin A	μg	μg
Vitamin B ₆	μg	μg
Vitamin B ₁₂	μg	μg
Vitamin C	mg	mg
Vitamin D	μg	μg
Vitamin E	μg	μg
Vitamin K	μg	μg
Biotin	μg	μg
Niacin	mg	mg
Folate	μg	μg
Pantothenic acid	μg	μg
Riboflavin	μg	μg
Thiamin	μg	μg
Calcium	mg	mg
Copper	μg	μg
Iodine	μg	μg
Iron	mg	mg
Magnesium	mg	mg
Manganese	μg	μg
Phosphorus	mg	mg
Selenium	μg	μg
Zinc	mg	mg
Chloride	mg	mg
Potassium	mg	mg
Sodium	mg	mg
(insert any other nutritive substance or inulin-derived substances and galacto- oligosaccharides to be declared)	g, mg, μg	g, mg, µg

^{*1 –} Delete the words 'made up formula' in the case of formulas sold in 'ready to drink' form.

[4.6] *deleting the* Note *at the end of the* Nutrition Information *table in the* Guidelines for Infant Formula Products

[5] *Standard 2.9.2 is varied by* –

- [5.1] *omitting paragraph 2(2)(b) substituting*
 - (b) lactic acid producing cultures; and

^{*2 –} Delete this column in the case of formulas sold in 'ready to drink' form.

- (c) either singularly or in combination, no more than 0.8 g/ 100 g of inulinderived substances and galacto-oligosaccharides, as consumed.
- (3) For paragraph 2(2)(c) the maximum permitted amount only applies when the substances are added. In that case the maximum permitted amount then applies to the sum of the naturally occurring and the added substances.
- [5.2] *omitting subclause 2(3) and the heading to the* Table to paragraph 2(3)(c), *substituting* –
- (4) Food for infants must not contain
 - (a) more than 50 mg/100 g of total iron in cereal-based food on a moisture free basis; or
 - (b) honey, unless it has been treated to inactivate *Clostridium botulinum* spores; or
 - (c) more than the total quantity of sodium set out in column 2 of the Table to this paragraph for each particular type of food for infants; or
 - (d) added salt, in the case of ready-to-eat fruit-based foods, fruit drink and vegetable juice.

Table to paragraph 2(4)(c)

- [5.3] *omitting subclause 2(4)* and the Editorial note, *substituting* –
- (5) Food for infants intended for infants under the age of 6 months must be formulated and manufactured to a consistency that minimises the risk of choking.

Editorial note:

The intent of subclause (5) is to ensure that the food, except in the case of rusks, should have a texture that is soft and free of lumps.

- [6] Standard 2.9.3 is varied by inserting in clause 6 –
- (4) Formulated supplementary foods for young children may contain singularly or in combination, no more than 1.6 g of inulin-derived substances and galacto-oligosaccharides per serving.
- (5) For subclause 6(4) the maximum permitted amount only applies when the substances are added. In that case the maximum permitted amount then applies to the sum of the naturally-occurring and the added substances.

© Commonwealth of Australia 2009

This work is copyright. You may download, display, print and reproduce this material in unaltered form only (retaining this notice) for your personal, non-commercial use or use within your organisation. All other rights are reserved. Requests and inquiries concerning reproduction and rights should be addressed to The Information Officer, Food Standards Australia New Zealand, PO Box 7186, Canberra BC ACT 2610 or by email information@foodstandards.gov.au.