

Gazette

No. FSC 64, Thursday, 5 May 2011 Published by Commonwealth of Australia

FOOD STANDARDS

Food Standards Australia New Zealand

Australia New Zealand
Food Standards Code –
Amendment No. 122 – 2011

Australia New Zealand Food Standards Code – Amendment No. 122 – 2011

Food Standards Australia New Zealand Act 1991

Preamble

The variations set forth in the Schedule below are variations to Standards in the *Australia New Zealand Food Standards Code* published by the National Health and Medical Research Council in the *Commonwealth of Australia Gazette*, No. P 27, on 27 August 1987, which have been varied from time to time.

Citation

These variations may be collectively known as the *Australia New Zealand Food Standards Code* – Amendment No. 122 – 2011.

Correction of Typographical Error

Amendment No. 121 published on 10 February 2011 contained the following typographical error -

Under Item [3.1], the text to be substituted in clause 1 of Standard 1.3.3 should have been -

processing aid means a substance listed in clauses 3 to 19, where -

Commencement

These variations commence on 5 May 2011.

SCHEDULE

- [1] Standard 1.3.3 is varied by –
- [1.1] omitting from the Table to clause 6 –

Polyvinyl polypyrrolidone	100
substituting –	
Polyvinyl polypyrrolidone	GMP
[1.2] inserting in the Table to clause 6 –	
Co-extruded polystyrene and polyvinyl polypyrrolidone	GMP

- [2] Standard 1.4.2 is varied by -
- [2.1] omitting from Schedule 1 all entries for the following chemicals –

FOSETYL ALUMINIUM

[2.2] omitting from Schedule 1 the chemical residue definition for the chemical appearing in Column 1 of the Table to this sub-item, substituting the chemical residue definition appearing in Column 2 –

Column 1	COLUMN 2
CHLOROTHALONIL	COMMODITIES OF PLANT ORIGIN: CHLOROTHALONIL
	COMMODITIES OF ANIMAL ORIGIN: 4-HYDROXY-2,5,6-
	TRICHLOROISOPHTHALONITRILE METABOLITE, EXPRESSED AS
	CHLOROTHALONIL
MEFENPYR-DIETHYL	COMMODITIES OF PLANT ORIGIN: SUM OF MEFENPYR-DIETHYL AND METABOLITES HYDROLYSED TO 1-(2,4-DICHLOROPHENYL)-5-METHYL-2-PYRAZOLINE-3,5-DICARBOXYLIC ACID, AND 1-(2,4-DICHLOROPHENYL)-5-METHYL-PYRAZOLE-3-CARBOXYLIC ACID, EXPRESSED AS MEFENPYR-DIETHYL.
	COMMODITIES OF ANIMAL ORIGIN: SUM OF MEFENPYR-DIETHYL AND 1-(2,4- DICHLOROPHENYL)-5-ETHOXYCARBONYL-5-METHYL-2-PYRAZOLINE-3- CARBOXYLIC ACID, EXPRESSED AS MEFENPYR-DIETHYL

[2.3] inserting in Schedule 1 –

FLONICAMID FLONICAMID [N-(CYANOMETHYL)-4-(TRIFLUOROMETHYL)- 3-PYRIDINECARBOXAMIDE] AND ITS METABOLITES TFNA [4-TRIFLUOROMETHYLNICOTINIC ACID], TFNA-AM [4- TRIFLUOROMETHYLNICOTINAMIDE] TFNG [N-(4- TRIFLUOROMETHYLNICOTINOYL)GLYCINE]	
STONE FRUITS	0.6
Fosetyl	
FOSETYL	
APPLE	1
AVOCADO	5
BRASSICA (COLE OR CABBAGE)	T0.1
VEGETABLES, HEAD CABBAGES,	
FLOWERHEAD BRASSICAS	
DURIAN	T5
FRUITING VEGETABLES, OTHER THAN	T0.02
CUCURBITS	
LEAFY VEGETABLES	T0.2
PEACH	1
PINEAPPLE	5

I PCONAZOLE	
IPCONAZOLE	
CEREAL GRAINS	*0.01
EDIBLE OFFAL (MAMMALIAN)	*0.01
Eggs	*0.01
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
METCONAZOLE	
METCONAZOLE	
STONE FRUITS	0.2
Propamocarb	
PROPAMOCARB (BASE)	
BRASSICA (COLE OR CABBAGE)	T0.1
VEGETABLES, HEAD CABBAGES,	
FLOWERHEAD BRASSICAS	
FRUITING VEGETABLES, OTHER THAN	T0.3
CUCURBITS	
LEAFY VEGETABLES	T20

[2.4] omitting from Schedule 1 the foods and associated MRLs for each of the following chemicals –

BIFENTHRIN	
BIFENTHRIN	
FRUITING VEGETABLES, CUCURBITS 0.1	
Boscalid	
COMMODITIES OF PLANT ORIGIN: BOSCALID	
COMMODITIES OF ANIMAL ORIGIN: SUM OF BOSCALID, 2-	
CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHENYL-2-YL)	
NICOTINAMIDE AND THE GLUCURONIDE CONJUGATE OF 2-	
CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHENYL-2-YL)	
NICOTINAMIDE, EXPRESSED AS BOSCALID EQUIVALENTS	
APPLE 2	
CHLOROTHALONIL	
COMMODITIES OF PLANT ORIGIN: CHLOROTHALONIL	
COMMODITIES OF ANIMAL ORIGIN: SUM OF	
CHLOROTHALONIL AND 4-HYDROXY-2, 5, 6-	
TRICHLOROISOPHTHALONITRILE METABOLITE, EXPRESSED	
AS CHLOROTHALONIL	
LEAFY VEGETABLES T7	
VEGETABLES [EXCEPT AS OTHERWISE T7	
LISTED UNDER THIS CHEMICAL]	
_	
CHLORPYRIFOS	
CHLORPYRIFOS	
STONE FRUITS T1	

_	
DITHIOCARBAMATES	
TOTAL DITHIOCARBAMATES, DETERMINED A	AS CARBON
DISULPHIDE EVOLVED DURING ACID DIGES	TION AND
EXPRESSED AS MILLIGRAMS OF CARBON DISU	JLPHIDE PER
KILOGRAM OF FOOD	
BEANS (DRY)	0.5
DEFINE (BILL)	0.0
EPOXICONAZOLE	
EPOXICONAZOLE	
BARLEY	0.05
WHEAT	0.05
FLUDIOXONIL	
COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUDIOXONIL	
AND OXIDISABLE METABOLITES, EXPRESSED AS	
FLUDIOXONIL	
COMMODITIES OF PLANT ORIGIN: FLUD	IOXONIL
STONE FRUITS	5
CTONE TRONG	ū
I MIDACLOPRID	
SUM OF IMIDACLOPRID AND METABOLITES CO	NTAINING THE
6-CHLOROPYRIDINYLMETHYLENE MOIETY, EX	PRESSED AS
IMIDACLOPRID	
LEAFY VEGETABLES [EXCEPT LETTUCE,	T5
LEAF	
LETTUCE, LEAF	T20
	120

PERMETHRIN
PERMETHRIN, SUM OF ISOMERS
CORIANDER (LEAVES AND STEMS) T10
PIRIMICARB
SUM OF PIRIMICARB, DEMETHYL-PIRIMICARB AND THE N-
FORMYL-(METHYLAMINO) ANALOGUE
(DEMETHYLFORMAMIDO-PIRIMICARB), EXPRESSED AS
PIRIMICARB
LEAFY VEGETABLES [EXCEPT CHERVIL; T5
MIZUNA; RUCOLA]
VEGETABLES [EXCEPT LEAFY 1
VEGETABLES; LUPIN (DRY); SOYA
BEAN (DRY); SWEET CORN (CORN-
ON-THE-COB)]
Pyraclostrobin
COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN
COMMODITIES OF ANIMAL ORIGIN: SUM OF
PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1-
(4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS
PYRACLOSTROBIN
APPLE 1

SPIROTETRAMAT SUM OF SPIROTETRAMAT, AND CIS-3-(2,5- DIMETHYLPHENYL)-4-HYDROXY-8-METHOXY-1	-
AZASPIRO[4.5]DEC-3-EN-2-ONE, EXPRESSED A	S
SPIROTETRAMAT	
FRUITING VEGETABLES, CUCURBITS	T2
LETTUCE, LEAF	T10
Peppers, Sweet	T5
Томато	T7
TEBUCONAZOLE	
TEBUCONAZOLE	
BULB VEGETABLES	*0.01
TRIADIMENOL	
TRIADIMENOL	
SEE ALSO TRIADIMEFON	
Peppers, Sweet	T1
Trichlorfon	
TRICHLORFON	
FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1
VEGETABLES [EXCEPT AS OTHERWISE	0.1
LISTED UNDER THIS CHEMICAL]	

$[2.5] \qquad \textit{inserting in alphabetical order in Schedule 1, the foods and associated MRLs for each of the following chemicals} \, - \,$

ABAMECTIN	
SUM OF AVERMECTIN B1A, AVERMECTIN B1B A	AND (Z)-8,9
AVERMECTIN B1A, AND (Z)-8,9 AVERMECT	п В1в
Papaya (pawpaw)	T0.1
SWEET CORN (CORN-ON-THE-COB)	T*0.01
BENZYLADENINE	
Benzyladenine	
PISTACHIO NUT	T*0.05
BIFENAZATE	
SUM OF BIFENAZATE AND BIFENAZATE DIA	AZENE
(DIAZENECARBOXYLIC ACID, 2-(4-METHOXY	Y-[1,1'-
BIPHENYL-3-YL] 1-METHYLETHYL ESTER), EXPI	RESSED AS
BIFENAZATE	
CHERRIES	2.5
LETTUCE, HEAD	T5
LETTUCE, LEAF	T5
·	
BIFENTHRIN	
BIFENTHRIN	T0.3
CUCUMBER	
FRUITING VEGETABLES, CUCURBITS	0.1
FRUITING VEGETABLES, CUCURBITS [EXCEPT CUCUMBER]	0.1
FRUITING VEGETABLES, CUCURBITS	
FRUITING VEGETABLES, CUCURBITS [EXCEPT CUCUMBER] PINEAPPLE	0.1
FRUITING VEGETABLES, CUCURBITS [EXCEPT CUCUMBER] PINEAPPLE BOSCALID	0.1 T*0.01
FRUITING VEGETABLES, CUCURBITS [EXCEPT CUCUMBER] PINEAPPLE BOSCALID COMMODITIES OF PLANT ORIGIN: BOSC	0.1 T*0.01
FRUITING VEGETABLES, CUCURBITS [EXCEPT CUCUMBER] PINEAPPLE Boscalid Commodities of plant origin: Bosc Commodities of animal origin: Sum of bo	0.1 T*0.01
FRUITING VEGETABLES, CUCURBITS [EXCEPT CUCUMBER] PINEAPPLE Boscalid COMMODITIES OF PLANT ORIGIN: BOSC COMMODITIES OF ANIMAL ORIGIN: SUM OF BO CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHEN	0.1 T*0.01 ALID SCALID, 2- YL-2-YL)
FRUITING VEGETABLES, CUCURBITS [EXCEPT CUCUMBER] PINEAPPLE BOSCALID COMMODITIES OF PLANT ORIGIN: BOSC COMMODITIES OF ANIMAL ORIGIN: SUM OF BO CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHEN NICOTINAMIDE AND THE GLUCURONIDE CONJUC	0.1 T*0.01 ALID ISCALID, 2- YL-2-YL) GATE OF 2-
FRUITING VEGETABLES, CUCURBITS [EXCEPT CUCUMBER] PINEAPPLE BOSCALID COMMODITIES OF PLANT ORIGIN: BOSC COMMODITIES OF ANIMAL ORIGIN: SUM OF BO CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHEN NICOTINAMIDE AND THE GLUCURONIDE CONJUC CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHEN	0.1 T*0.01 ALID SCALID, 2- YL-2-YL) GATE OF 2- YL-2-YL)
FRUITING VEGETABLES, CUCURBITS [EXCEPT CUCUMBER] PINEAPPLE BOSCALID COMMODITIES OF PLANT ORIGIN: BOSC COMMODITIES OF ANIMAL ORIGIN: SUM OF BO CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHEN NICOTINAMIDE AND THE GLUCURONIDE CONJUC CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHEN NICOTINAMIDE, EXPRESSED AS BOSCALID EQU	O.1 T*0.01 ALID SCALID, 2- YL-2-YL) GATE OF 2- YL-2-YL) JIVALENTS
FRUITING VEGETABLES, CUCURBITS [EXCEPT CUCUMBER] PINEAPPLE BOSCALID COMMODITIES OF PLANT ORIGIN: BOSC COMMODITIES OF ANIMAL ORIGIN: SUM OF BO CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHEN NICOTINAMIDE AND THE GLUCURONIDE CONJUC CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHEN NICOTINAMIDE, EXPRESSED AS BOSCALID EQU ALL OTHER FOODS	O.1 T*0.01 ALID SCALID, 2- YL-2-YL) GATE OF 2- YL-2-YL) JIVALENTS 0.5
FRUITING VEGETABLES, CUCURBITS [EXCEPT CUCUMBER] PINEAPPLE BOSCALID COMMODITIES OF PLANT ORIGIN: BOSC COMMODITIES OF ANIMAL ORIGIN: SUM OF BO CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHEN NICOTINAMIDE AND THE GLUCURONIDE CONJUC CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHEN NICOTINAMIDE, EXPRESSED AS BOSCALID EQU ALL OTHER FOODS MILK FATS	0.1 T*0.01 ALID SCALID, 2- YL-2-YL) GATE OF 2- YL-2-YL) JIVALENTS 0.5 0.7
FRUITING VEGETABLES, CUCURBITS [EXCEPT CUCUMBER] PINEAPPLE BOSCALID COMMODITIES OF PLANT ORIGIN: BOSC COMMODITIES OF ANIMAL ORIGIN: SUM OF BO CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHEN NICOTINAMIDE AND THE GLUCURONIDE CONJUC CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHEN NICOTINAMIDE, EXPRESSED AS BOSCALID EQU ALL OTHER FOODS	O.1 T*0.01 ALID SCALID, 2- YL-2-YL) GATE OF 2- YL-2-YL) JIVALENTS 0.5

Buprofezin Buprofezin	
STONE FRUITS [EXCEPT APRICOT;	1.9
PEACH]	
•	
CARBARYL	
Carbaryl	
CRANBERRY	3
CHLOROTHALONIL	
COMMODITIES OF PLANT ORIGIN: CHLOROTHAL	ONIL
COMMODITIES OF ANIMAL ORIGIN: SUM OF	
CHLOROTHALONIL AND 4-HYDROXY-2, 5, 6-	
TRICHLOROISOPHTHALONITRILE METABOLITE, EXPR	RESSED
AS CHLOROTHALONIL	
CHARD (SILVER BEET)	T50
CORIANDER (LEAVES, STEM, ROOTS)	T20
LEAFY VEGETABLES [EXCEPT CHARD	T10
(SILVER BEET); SPINACH]	
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
SPINACH	T100
VEGETABLES [EXCEPT ASPARAGUS;	T7
Brussels sprouts; carrot;	
CELERY; CHARD (SILVER BEET);	
FENNEL, BULB; FRUITING	
VEGETABLES, CUCURBITS; GARLIC;	
LEAFY VEGETABLES; LEEK; ONION,	
BULB; PEAS (PODS AND SUCCULENT,	
IMMATURE SEEDS); POTATO; PULSES;	
SPINACH; SPRING ONION; TOMATO]	
CHLORPYRIFOS	
CHLORPYRIFOS	
CHERRIES	1
CRANBERRY	1
STONE FRUITS [EXCEPT CHERRIES]	T1

CLOTHIANIDIN	
CLOTHIANIDIN	
DRIED GRAPES	10
GRAPES [EXCEPT WINE GRAPES]	3
WINE GRAPES	*0.02
WINE OWN EO	0.02
CYFLUTHRIN	
CYFLUTHRIN, SUM OF ISOMERS	
CHIA	T0.5
Papaya (pawpaw)	T0.2
CVIIALOTUDIN	
CYHALOTHRIN CYHALOTHRIN, SUM OF ISOMERS	
STONE FRUITS	0.5
STONE PROITS	0.5
Cypermethrin	
CYPERMETHRIN, SUM OF ISOMERS	;
DURIAN	1
LONGAN	1
PEPPERS, CHILI	1
-··-, -··	
EPOXICONAZOLE	
EPOXICONAZOLE	
CEREAL GRAINS	0.05
ETOXAZOLE	
ETOXAZOLE	T0 0-
BANANA	T0.05
PODDED PEA (YOUNG PODS) (SNOW	T*0.02
AND SUGAR SNAP)	
F=1121122112	
FENBUCONAZOLE FENBUCONAZOLE	
WHEAT	*0.01
VVIICAT	0.01
FENBUTATIN OXIDE	
BIS[TRIS(2-METHYL-2-PHENYLPROPYL)TIN	NJ-OXIDE
BIS[TRIS(2-METHYL-2-PHENYLPROPYL)TIN	N]-OXIDE
BIS[TRIS(2-METHYL-2-PHENYLPROPYL)TIN CHERRIES	
CHERRIES FENVALERATE FENVALERATE, SUM OF ISOMERS	6
CHERRIES FENVALERATE	
FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES	6
FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL	6
FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES	6
FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA	0.5
FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL	0.5
FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA	0.5
FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH	0.5 T2 0.05
FENVALERATE FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEN	0.5 T2 0.05
FENVALERATE FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEN COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU	0.5 T2 0.05 DIAMIDE BENDIAMIDE
FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEN COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRA	0.5 T2 0.05 DIAMIDE BENDIAMIDE FLUORO-1-
FENVALERATE FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEN COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRA (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTH	0.5 T2 0.05 DIAMIDE BENDIAMIDE FLUORO-1-
FENVALERATE FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEN COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRA (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTH EXPRESSED AS FLUBENDIAMIDE	0.5 T2 0.05 DIAMIDE BENDIAMIDE FLUORO-1-
FENVALERATE FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEN COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRA (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTH EXPRESSED AS FLUBENDIAMIDE EDIBLE OFFAL (MAMMALIAN)	0.5 T2 0.05 DIAMIDE BENDIAMIDE FLUORO-1-ALIMIDE, 0.03
FENVALERATE FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEN COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRA (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTH EXPRESSED AS FLUBENDIAMIDE EDIBLE OFFAL (MAMMALIAN) MEAT (MAMMALIAN) (IN THE FAT)	0.5 T2 0.05 DIAMIDE BENDIAMIDE FLUORO-1- ALIMIDE, 0.03 0.05
FENVALERATE FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEN COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRA (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTH EXPRESSED AS FLUBENDIAMIDE EDIBLE OFFAL (MAMMALIAN) MEAT (MAMMALIAN) (IN THE FAT) MILK FATS	0.5 T2 0.05 DIAMIDE BENDIAMIDE FLUORO-1- ALIMIDE, 0.03 0.05 0.05
FENVALERATE FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEN COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRA (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTH EXPRESSED AS FLUBENDIAMIDE EDIBLE OFFAL (MAMMALIAN) MEAT (MAMMALIAN) (IN THE FAT) MILK FATS MILKS	0.5 T2 0.05 DIAMIDE BENDIAMIDE FLUORO-1- ALIMIDE, 0.03 0.05 0.05 *0.01
FENVALERATE FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEN COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRA (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTH EXPRESSED AS FLUBENDIAMIDE EDIBLE OFFAL (MAMMALIAN) MEAT (MAMMALIAN) (IN THE FAT) MILK FATS	0.5 T2 0.05 DIAMIDE BENDIAMIDE FLUORO-1- ALIMIDE, 0.03 0.05 0.05
FENVALERATE FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEN COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRA (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTH EXPRESSED AS FLUBENDIAMIDE EDIBLE OFFAL (MAMMALIAN) MEAT (MAMMALIAN) (IN THE FAT) MILK FATS MILKS	0.5 T2 0.05 DIAMIDE BENDIAMIDE FLUORO-1- ALIMIDE, 0.03 0.05 0.05 *0.01
FENVALERATE FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEN COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRA (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTH EXPRESSED AS FLUBENDIAMIDE EDIBLE OFFAL (MAMMALIAN) MEAT (MAMMALIAN) (IN THE FAT) MILK FATS MILKS POTATO FLUDIOXONIL	0.5 T2 0.05 DIAMIDE BENDIAMIDE FLUORO-1- ALIMIDE, 0.03 0.05 0.05 *0.01 T*0.02
FENVALERATE FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEN COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRA (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTH EXPRESSED AS FLUBENDIAMIDE EDIBLE OFFAL (MAMMALIAN) MEAT (MAMMALIAN) (IN THE FAT) MILK FATS MILKS POTATO FLUDIOXONIL COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU	0.5 T2 0.05 DIAMIDE BENDIAMIDE FLUORO-1- ALIMIDE, 0.03 0.05 0.05 *0.01 T*0.02
FENVALERATE FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEN COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRA (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTH EXPRESSED AS FLUBENDIAMIDE EDIBLE OFFAL (MAMMALIAN) MEAT (MAMMALIAN) (IN THE FAT) MILK FATS MILKS POTATO FLUDIOXONIL COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU AND OXIDISABLE METABOLITES, EXPRESS	0.5 T2 0.05 DIAMIDE BENDIAMIDE FLUORO-1- ALIMIDE, 0.03 0.05 0.05 *0.01 T*0.02
FENVALERATE FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEN COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRA (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTH EXPRESSED AS FLUBENDIAMIDE EDIBLE OFFAL (MAMMALIAN) MEAT (MAMMALIAN) (IN THE FAT) MILK FATS MILKS POTATO FLUDIOXONIL COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU	DIAMIDE BENDIAMIDE FLUORO-1- ALIMIDE, 0.03 0.05 0.05 *0.01 T*0.02
FENVALERATE FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEN COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRA (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTH EXPRESSED AS FLUBENDIAMIDE EDIBLE OFFAL (MAMMALIAN) MEAT (MAMMALIAN) (IN THE FAT) MILK FATS MILKS POTATO FLUDIOXONIL COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU AND OXIDISABLE METABOLITES, EXPRESS FLUDIOXONIL	DIAMIDE BENDIAMIDE FLUORO-1- ALIMIDE, 0.03 0.05 0.05 *0.01 T*0.02
FENVALERATE FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEN COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRA (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTH EXPRESSED AS FLUBENDIAMIDE EDIBLE OFFAL (MAMMALIAN) MEAT (MAMMALIAN) (IN THE FAT) MILK FATS MILKS POTATO FLUDIOXONIL COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU AND OXIDISABLE METABOLITES, EXPRESS FLUDIOXONIL COMMODITIES OF PLANT ORIGIN: FLUDIOX	DIAMIDE BENDIAMIDE FLUORO-1- ALIMIDE, 0.03 0.05 0.05 *0.01 T*0.02
FENVALERATE FENVALERATE FENVALERATE, SUM OF ISOMERS DRIED GRAPES FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL CHIA ONION, WELSH FLUBENDIAMIDE COMMODITIES OF PLANT ORIGIN: FLUBEN COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRA (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTH EXPRESSED AS FLUBENDIAMIDE EDIBLE OFFAL (MAMMALIAN) MEAT (MAMMALIAN) (IN THE FAT) MILK FATS MILKS POTATO FLUDIOXONIL COMMODITIES OF ANIMAL ORIGIN: SUM OF FLU AND OXIDISABLE METABOLITES, EXPRESS FLUDIOXONIL COMMODITIES OF PLANT ORIGIN: FLUDIO APRICOT	DIAMIDE BENDIAMIDE FLUORO-1- ALIMIDE, 0.03 0.05 0.05 *0.01 T*0.02

PEACH POME FRUITS STONE FRUITS [EXCEPT APRICOT; PEACH]	10 5 5
IMAZAMOX	
POPPY SEED IMAZAMOX	T*0.05
İMAZAPYR	
IMAZAPYR POPPY SEED	T*0.05
FOPPI SEED	1 0.05
IMIDACLOPRID SUM OF IMIDACLOPRID AND METABOLITES CONTAIL 6-CHLOROPYRIDINYLMETHYLENE MOIETY, EXPRES IMIDACLOPRID	SSED AS
Broad bean (dry) Field pea (dry)	*0.05 *0.05
LEAFY VEGETABLES [EXCEPT LETTUCE,	20
HEAD] LENTIL (DRY)	0.2
LETTUCE, HEAD	5
INDOXACARB	
Sum of indoxacarb and its R -isomer	
PEANUT	T0.02
IODOSULFURON METHYL IODOSULFURON METHYL	
BARLEY	*0.01
IPRODIONE IPRODIONE	
PEPPERS IPRODIONE	T2
METALAXYL	
METALAXYL	
GINGER, ROOT	T0.5
METHOMYL SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL SEE ALSO THIODICARB	
Сніа	T0.5
METHOXYFENOZIDE METHOXYFENOZIDE	
CORIANDER (LEAVES, STEM, ROOTS) CRANBERRY HERBS MEXICAN TARRAGON RUCOLA (ROCKET) STONE FRUITS [EXCEPT PLUMS (INCLUDING PRUNES)]	T20 0.5 T20 T20 T20 3
Oxyfluorfen	
OXYFLUORFEN OLIVES	1
OLIVES	
PACLOBUTRAZOL PACLOBUTRAZOL	
PACLOBUTRAZOL BARLEY WHEAT	T0.1 T0.1

_		1-	
PENDIMETHALIN		FRUITING VEGETABLES, OTHER THAN CUCURBITS	0.3
PENDIMETHALIN	*0.05	MANGO	0.1
HERBS	*0.05	PAPAYA (PAWPAW)	T0.5
Decomposition		POME FRUITS	10.5
PERMETHRIN PERMETHRIN, SUM OF ISOMERS		POPPY SEED	*0.05
CORIANDER (LEAVES, STEM, ROOTS)	30	_	
LEMON BALM	30	Pyrimethanil Pyrimethanil	
PHOSPHOROUS ACID		LEAFY VEGETABLES	T5
Phosphorous acid			
BRASSICA (COLE OR CABBAGE)	T1	SPIROTETRAMAT	<i>-</i>
VEGETABLES, HEAD CABBAGES,		SUM OF SPIROTETRAMAT, AND CIS-3-	
FLOWERHEAD BRASSICAS [EXCEPT		DIMETHYLPHENYL)-4-HYDROXY-8-METH	
FLOWERHEAD BRASSICAS]		AZASPIRO[4.5]DEC-3-EN-2-ONE, EXPRES	SSED AS
	T100	SPIROTETRAMAT	
CUCURBITS		DRIED GRAPES	4
GINGER, ROOT	T100	FRUITING VEGETABLES, CUCURBITS	2
		[EXCEPT MELONS]	-
PIRIMICARB		FRUITING VEGETABLES, OTHER THAN	7
SUM OF PIRIMICARB, DEMETHYL-PIRIMICARB AND THE	≣ N-	CUCURBITS	2
FORMYL-(METHYLAMINO) ANALOGUE		GRAPES	2 5
(DEMETHYLFORMAMIDO-PIRIMICARB), EXPRESSED	AS	LEAFY VEGETABLES [EXCEPT LETTUCE,	5
PIRIMICARB		HEAD] LEGUME VEGETABLES	TO
Adzuki bean (dry)	T0.5		T2
LEAFY VEGETABLES [EXCEPT CHERVIL;	T7	MELONS, EXCEPT WATERMELON POTATO	0.5
MIZUNA; RUCOLA (ROCKET)]		SWEET POTATO	5 5
MUNG BEAN (DRY)	T0.5	WATERMELON	0.5
Onion, Welsh	T3	VVATERMELON	0.5
SHALLOT	T3	T-200200-201-2	
SPRING ONION	T3	TEBUCONAZOLE	
VEGETABLES [EXCEPT ADZUKI BEAN	1	TEBUCONAZOLE	*0.04
(DRY); LEAFY VEGETABLES; LUPIN		BULB VEGETABLES [EXCEPT GARLIC]	*0.01
(DRY); MUNG BEAN (DRY); ONION,		CHERRIES	5
WELSH; SHALLOT; SOYA BEAN (DRY);		GARLIC	T0.2
SPRING ONION; SWEET CORN (CORN-		_	
ON-THE-COB)]		TEBUFENOZIDE	
_		TEBUFENOZIDE CRANBERRY	0.5
Profenofos Profenofos		CRANBERRY	0.5
MANGOSTEEN	5	TERBUTHYLAZINE	
		TERBUTHYLAZINE	
Prothioconazole		MAIZE	T*0.02
COMMODITIES OF PLANT ORIGIN: SUM OF		SORGHUM	T*0.02
PROTHIOCONAZOLE AND PROTHIOCONAZOLE DESTHIC		SWEET CORN (CORN-ON-THE-COB)	T*0.02
(1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-		_	
1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED	AS	TRIADIMENOL	
PROTHIOCONAZOLE		TRIADIMENOL	
COMMODITIES OF ANIMAL ORIGIN: SUM OF		SEE ALSO TRIADIMEFON	
PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2		Peppers	T1
CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(_	
1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZ		TRICHLORFON	
3-HYDROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-		TRICHLORFON	
CHLORO-3-HYDROXYPHENYL)-3-(1H-1,2,4-TRIAZOI		FISH MUSCLE	T*0.01
YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDR		FRUIT [EXCEPT BANANA; DRIED FRUITS;	0.1
DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLOR		PEACH]	_
HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-PRO	PAN-	VEGETABLES [EXCEPT BEETROOT;	0.1
2-oL), EXPRESSED AS PROTHIOCONAZOLE	0.5	BRUSSELS SPROUTS; CAULIFLOWER;	
CEREAL BRAN, UNPROCESSED	0.5	CELERY; KALE; PEPPERS; PULSES;	
	*0.05	SUGAR BEET; SWEET CORN (CORN-	
WHEAT GERM	0.5	ON-THE-COB)]	
PYRACLOSTROBIN		TRIFLOXYSTROBIN	
Commodities of Plant Origin: Pyraclostrob	IN		ETAPOLITE
COMMODITIES OF PLANT ORIGIN: FYRACLOSTROB COMMODITIES OF ANIMAL ORIGIN: SUM OF	11.4	SUM OF TRIFLOXYSTROBIN AND ITS ACID MI	
PYRACLOSTROBIN AND METABOLITES HYDROLYSED T	·0 1-	((E,E)-METHOXYIMINO-[2-[1-(3- TRIFLUOROMETHYLPHENYL)-	
(4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSE		ETHYLIDENEAMINOOXYMETHYL]PHENYL] AC	ETIC ACID)
PYRACLOSTROBIN	D AG	EXPRESSED AS TRIFLOXYSTROBIN EQUIV	
	*0.01	CELERY	T1
	14.14		1 1
CUSTARD APPLE	T3	CHARD (SILVER BEET)	T0.7

CHICORY LEAVES ENDIVE SPINACH STONE FRUITS	T0.7 T0.7 T0.7 2		
Triflumizole			
SUM OF TRIFLUMIZOLE AND (E)-4-CHLORO	-A.A.A-		
TRIFLUORO- N-(1-AMINO-2-PROPOXYETHYLIDENE)-O-			
TOLUIDINE, EXPRESSED AS TRIFLUMIZO	•		
CHERRIES	1.5		
OTIENNIES	1.0		
Trifluralin			
Trifluralin			
Сніа	T*0.01		

TRINEXAPAC-ETHYL		
4-(CYCLOPROPYL-α-HYDROXY-METHYLENE)-3,5-	-DIOXO-	
CYCLOHEXANECARBOXYLIC ACID		
BARLEY	T0.3	
WHEAT	T0.3	
UNICONAZOLE-P		
SUM OF UNICONAZOLE-P AND ITS Z-ISOMER EXPRE	SSED AS	
UNICONAZOLE-P		
CUSTARD APPLE	T1	

[2.6] omitting from Schedule 1, under the entries for the following chemicals, the Maximum Residue Limit for the food, substituting –

BIFENTHRIN	
BIFENTHRIN	
PEAS (PODS AND SUCCULENT,	*0.01
IMMATURE SEEDS)	
Boscalid	
COMMODITIES OF PLANT ORIGIN: BOSCALID	
COMMODITIES OF ANIMAL ORIGIN: SUM OF BOSCAL	
CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHENYL-2	
NICOTINAMIDE AND THE GLUCURONIDE CONJUGATE	
CHLORO-N-(4'-CHLORO-5-HYDROXYBIPHENYL-2	
NICOTINAMIDE, EXPRESSED AS BOSCALID EQUIVAL	
BRASSICA LEAFY VEGETABLES	T30
EDIBLE OFFAL (MAMMALIAN)	0.3 T15
LETTUCE, HEAD LETTUCE, LEAF	T15
MEAT (MAMMALIAN) (IN THE FAT)	0.3
MILKS	0.3
IVIILAS	0.1
BROMOXYNIL	
BROMOXYNIL	
EDIBLE OFFAL (MAMMALIAN)	T3
MEAT (MAMMALIAN) (IN THE FAT)	T1
MILKS	T0.1
CHLOROTHALONIL	
COMMODITIES OF PLANT ORIGIN: CHLOROTHALO	ONIL
COMMODITIES OF ANIMAL ORIGIN: SUM OF	
CHLOROTHALONIL AND 4-HYDROXY-2, 5, 6-	
TRICHLOROISOPHTHALONITRILE METABOLITE, EXPR	ESSED
AS CHLOROTHALONIL	
EDIBLE OFFAL (MAMMALIAN)	7
HERBS [EXCEPT FENNEL, LEAF]	T20
MEAT (MAMMALIAN) (IN THE FAT)	2
MILKS	0.05
Pulses	3
CHLORPYRIFOS	
CHLORPYRIFOS	
BLUEBERRIES	*0.01
DITHIOCARBAMATES	
TOTAL DITHIOCARBAMATES, DETERMINED AS CAR	BON
DISULPHIDE EVOLVED DURING ACID DIGESTION A	ND
EXPRESSED AS MILLIGRAMS OF CARBON DISULPHID	E PER
KILOGRAM OF FOOD	
Mango	5

FENBUCONAZOLE	
FENBUCONAZOLE	
EDIBLE OFFAL (MAMMALIAN)	0.05
STONE FRUITS [EXCEPT NECTARINE]	1
FENVALERATE FENVALERATE, SUM OF ISOMERS	
GRAPES	0.1
	0.1
FIPRONIL	
SUM OF FIPRONIL, THE SULPHENYL METABOLITE (5-A	AMINO-
1-[2,6-DICHLORO-4-(TRIFLUOROMETHYL)PHENYL	1-4-
[(TRIFLUOROMETHYL) SULPHENYL]-1 <i>H</i> -PYRAZOLE	
CARBONITRILE), THE SULPHONYL METABOLITE (5-AM	
[2,6-DICHLORO-4-(TRIFLUOROMETHYL)PHENYL]	
[(TRIFLUOROMETHYL)SULPHONYL]-1 <i>H</i> -PYRAZOLE	-3-
CARBONITRILE), AND THE TRIFLUOROMETHYL METAB	
(5-amino-4-trifluoromethyl-1-[2,6-dichloro (trifluoromethyl)phenyl]-1 <i>H</i> -pyrazole-3)-4-
· · · · · · · · · · · · · · · · · · ·	-
CARBONITRILE)	*0.04
SWEET POTATO	*0.01
FLUAZIFOP-BUTYL	
FLUAZIFOP-BUTYL	
Parsnip	0.1
	0
FLUBENDIAMIDE	.
COMMODITIES OF PLANT ORIGIN: FLUBENDIAMID	DΕ
COMMODITIES OF PLANT ORIGIN: FLUBENDIAMIC COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUBENDI	DE IAMIDE
COMMODITIES OF PLANT ORIGIN: FLUBENDIAMIC COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUBENDI AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRAFLUOF	DE IAMIDE RO-1-
Commodities of plant origin: Flubendiamic Commodities of animal origin: Sum of flubendi and 3-iodo-N-(2-methyl-4-[1,2,2,2-tetrafluof (Trifluoromethyl)ethyl]phenyl)phthalimid	DE IAMIDE RO-1-
COMMODITIES OF PLANT ORIGIN: FLUBENDIAMIC COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUBENDI AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRAFLUOF (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHALIMID EXPRESSED AS FLUBENDIAMIDE	DE IAMIDE RO-1- DE,
COMMODITIES OF PLANT ORIGIN: FLUBENDIAMIC COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUBENDI AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRAFLUOF (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHALIMID EXPRESSED AS FLUBENDIAMIDE LETTUCE, HEAD	DE IAMIDE RO-1- DE,
COMMODITIES OF PLANT ORIGIN: FLUBENDIAMIC COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUBENDI AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRAFLUOF (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHALIMID EXPRESSED AS FLUBENDIAMIDE LETTUCE, HEAD LETTUCE, LEAF	DE IAMIDE RO-1- DE,
COMMODITIES OF PLANT ORIGIN: FLUBENDIAMIC COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUBENDI AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRAFLUOF (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHALIMID EXPRESSED AS FLUBENDIAMIDE LETTUCE, HEAD LETTUCE, LEAF PEPPERS, SWEET	DE IAMIDE RO-1- DE, 5 7
COMMODITIES OF PLANT ORIGIN: FLUBENDIAMIC COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUBENDI AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRAFLUOF (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHALIMID EXPRESSED AS FLUBENDIAMIDE LETTUCE, HEAD LETTUCE, LEAF	DE IAMIDE RO-1- DE,
COMMODITIES OF PLANT ORIGIN: FLUBENDIAMIC COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUBENDI AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRAFLUOF (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHALIMID EXPRESSED AS FLUBENDIAMIDE LETTUCE, HEAD LETTUCE, LEAF PEPPERS, SWEET	DE IAMIDE RO-1- DE, 5 7
COMMODITIES OF PLANT ORIGIN: FLUBENDIAMID COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUBENDIAND AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRAFLUOF (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHALIMID EXPRESSED AS FLUBENDIAMIDE LETTUCE, HEAD LETTUCE, LEAF PEPPERS, SWEET TOMATO FLUMETSULAM FLUMETSULAM	DE IAMIDE RO-1- DE, 5 7
COMMODITIES OF PLANT ORIGIN: FLUBENDIAMID COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUBENDIAND AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRAFLUOF (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHALIMID EXPRESSED AS FLUBENDIAMIDE LETTUCE, HEAD LETTUCE, LEAF PEPPERS, SWEET TOMATO FLUMETSULAM	DE IAMIDE RO-1- DE, 5 7
COMMODITIES OF PLANT ORIGIN: FLUBENDIAMID COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUBENDIAND AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRAFLUOF (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHALIMID EXPRESSED AS FLUBENDIAMIDE LETTUCE, HEAD LETTUCE, LEAF PEPPERS, SWEET TOMATO FLUMETSULAM FLUMETSULAM EDIBLE OFFAL (MAMMALIAN)	DE AMIDE RO-1- DE, 5 7 1
COMMODITIES OF PLANT ORIGIN: FLUBENDIAMID COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUBENDIAND AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRAFLUOF (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHALIMID EXPRESSED AS FLUBENDIAMIDE LETTUCE, HEAD LETTUCE, LEAF PEPPERS, SWEET TOMATO FLUMETSULAM FLUMETSULAM EDIBLE OFFAL (MAMMALIAN)	DE NAMIDE RO-1-DE, 5 7 1 2 0.3
COMMODITIES OF PLANT ORIGIN: FLUBENDIAMID COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUBENDIAMID AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRAFLUOF (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHALIMID EXPRESSED AS FLUBENDIAMIDE LETTUCE, HEAD LETTUCE, LEAF PEPPERS, SWEET TOMATO FLUMETSULAM FLUMETSULAM EDIBLE OFFAL (MAMMALIAN) IMIDACLOPRID SUM OF IMIDACLOPRID AND METABOLITES CONTAINING	DE AMIDE RO-1-DE, 5 7 1 2 0.3
COMMODITIES OF PLANT ORIGIN: FLUBENDIAMID COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUBENDIAMID AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRAFLUOF (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHALIMID EXPRESSED AS FLUBENDIAMIDE LETTUCE, HEAD LETTUCE, LEAF PEPPERS, SWEET TOMATO FLUMETSULAM FLUMETSULAM EDIBLE OFFAL (MAMMALIAN) IMIDACLOPRID SUM OF IMIDACLOPRID AND METABOLITES CONTAININ 6-CHLOROPYRIDINYLMETHYLENE MOIETY, EXPRESSI	DE AMIDE RO-1-DE, 5 7 1 2 0.3
COMMODITIES OF PLANT ORIGIN: FLUBENDIAMID COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUBENDIAND AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRAFLUOF (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHALIMID EXPRESSED AS FLUBENDIAMIDE LETTUCE, HEAD LETTUCE, LEAF PEPPERS, SWEET TOMATO FLUMETSULAM FLUMETSULAM EDIBLE OFFAL (MAMMALIAN) IMIDACLOPRID SUM OF IMIDACLOPRID AND METABOLITES CONTAINING 6-CHLOROPYRIDINYLMETHYLENE MOIETY, EXPRESSIONING	DE AMIDE RO-1-DE, 5 7 1 2 0.3
COMMODITIES OF PLANT ORIGIN: FLUBENDIAMID COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUBENDIAMID AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRAFLUOF (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHALIMID EXPRESSED AS FLUBENDIAMIDE LETTUCE, HEAD LETTUCE, LEAF PEPPERS, SWEET TOMATO FLUMETSULAM FLUMETSULAM EDIBLE OFFAL (MAMMALIAN) IMIDACLOPRID SUM OF IMIDACLOPRID AND METABOLITES CONTAININ 6-CHLOROPYRIDINYLMETHYLENE MOIETY, EXPRESSI IMIDACLOPRID LUPIN (DRY)	DE AMIDE RO-1-DE, 5 7 1 2 0.3 NG THE ED AS 0.2
COMMODITIES OF PLANT ORIGIN: FLUBENDIAMID COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUBENDIAMID AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRAFLUOF (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHALIMID EXPRESSED AS FLUBENDIAMIDE LETTUCE, HEAD LETTUCE, LEAF PEPPERS, SWEET TOMATO FLUMETSULAM FLUMETSULAM EDIBLE OFFAL (MAMMALIAN) IMIDACLOPRID SUM OF IMIDACLOPRID AND METABOLITES CONTAININ 6-CHLOROPYRIDINYLMETHYLENE MOIETY, EXPRESSI IMIDACLOPRID LUPIN (DRY) POTATO	DE AMIDE RO-1-IPE, 5 7 1 2 0.3 NG THE ED AS 0.2 0.3
COMMODITIES OF PLANT ORIGIN: FLUBENDIAMID COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUBENDIAMID AND 3-IODO-N-(2-METHYL-4-[1,2,2,2-TETRAFLUOF (TRIFLUOROMETHYL)ETHYL]PHENYL)PHTHALIMID EXPRESSED AS FLUBENDIAMIDE LETTUCE, HEAD LETTUCE, LEAF PEPPERS, SWEET TOMATO FLUMETSULAM FLUMETSULAM EDIBLE OFFAL (MAMMALIAN) IMIDACLOPRID SUM OF IMIDACLOPRID AND METABOLITES CONTAININ 6-CHLOROPYRIDINYLMETHYLENE MOIETY, EXPRESSI IMIDACLOPRID LUPIN (DRY)	DE AMIDE RO-1-DE, 5 7 1 2 0.3 NG THE ED AS 0.2

IPRODIONE		
IPRODIONE		
BRUSSELS SPROUTS	0.5	
METALAXYL		
Metalaxyl		
Papaya (pawpaw)	*0.01	
PERMETHRIN		
PERMETHRIN, SUM OF ISOMERS		
HERBS	30	
KAFFIR LIME LEAVES	30	
LEMON GRASS	30	
Prothioconazole		
COMMODITIES OF PLANT ORIGIN: SUM OF		
PROTHIOCONAZOLE AND PROTHIOCONAZOLE DESTH	10 (2-	
(1-CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3		
1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), EXPRESSED		
PROTHIOCONAZOLE	-	
COMMODITIES OF ANIMAL ORIGIN: SUM OF		
PROTHIOCONAZOLE, PROTHIOCONAZOLE DESTHIO (2-(1-		
CHLOROCYCLOPROPYL)-1-(2-CHLOROPHENYL)-3-(1H-		
1,2,4-TRIAZOL-1-YL)-PROPAN-2-OL), PROTHIOCONAZOLE-		
3-HYDROXY-DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-		
CHLORO-3-HYDROXYPHENYL)-3-(1H-1,2,4-TRIAZO		
YL)-PROPAN-2-OL) AND PROTHIOCONAZOLE-4-HYDI		
DESTHIO (2-(1-CHLOROCYCLOPROPYL)-1-(2-CHLO		
HYDROXYPHENYL)-3-(1 <i>H</i> -1,2,4-TRIAZOL-1-YL)-PRO		
2-OL), EXPRESSED AS PROTHIOCONAZOLE		
BARLEY	0.3	
EDIBLE OFFAL (MAMMALIAN)	0.1	
WHEAT	0.3	
PYRACLOSTROBIN		
COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN		
COMMODITIES OF ANIMAL ORIGIN: SUM OF		
PYRACLOSTROBIN AND METABOLITES HYDROLYSED	-	
(4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESS	ED AS	
PYRACLOSTROBIN		
EDIBLE OFFAL (MAMMALIAN)	0.1	

Pyriproxyfen	
Pyriproxyfen	
Mango	0.05
SIMAZINE	
SIMAZINE	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.02
SPIROTETRAMAT	
SUM OF SPIROTETRAMAT, AND CIS-3-(2,5-	
DIMETHYLPHENYL)-4-HYDROXY-8-METHOXY-1	_
AZASPIRO[4.5]DEC-3-EN-2-ONE, EXPRESSED A	
SPIROTETRAMAT	43
CITRUS FRUITS	1
COTTON SEED	0.7
LETTUCE, HEAD	3
MANGO	0.3
ONION, BULB	0.5
ONION, BOLD	0.0
TERBUTHYLAZINE	
Terbuthylazine	
EDIBLE OFFAL (MAMMALIAN)	*0.01
Eggs	*0.01
MEAT (MAMMALIAN)	*0.01
Milks	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
Pulses	*0.02
RAPE SEED (CANOLA)	*0.02
Tolclofos-methyl	
TOLCLOFOS-METHYL	
Вееткоот	*0.01

[3] Standard 4.5.1 is varied by omitting subclause 5(5), substituting –

- (5) Wine, sparkling wine and fortified wine must contain no more than
 - (a) 250 mg/L in total of sulphur dioxide in the case of products containing less than 35 g/L of sugars, or 300 mg/L in total of sulphur dioxide in the case of other products; and
 - (b) 200 mg/L of sorbic acid or potassium sorbate expressed as sorbic acid; and
 - (c) 1 g/L of soluble chlorides expressed as sodium chloride; and
 - (d) 2 g/L of soluble sulphates expressed as potassium sulphate; and
 - (e) 400 mg/L of soluble phosphates expressed as phosphorus; and
 - (f) 1.5 g/L of volatile acidity excluding sulphur dioxide, expressed as acetic acid; and
 - (g) 0.1 mg/L of cyanides and complex cyanides expressed as hydrocyanic acid; and
 - (h) 200 mg/L of added dimethyl dicarbonate.

© Commonwealth of Australia 2011

This work is copyright. You may download, display, print and reproduce this material in unaltered form only (retaining this notice) for your personal, non-commercial use or use within your organisation. All other rights are reserved. Requests and inquiries concerning reproduction and rights should be addressed to The Information Officer, Food Standards Australia New Zealand, PO Box 7186, Canberra BC ACT 2610 or by email information@foodstandards.gov.au.