

Commonwealth of Australia

No. FSC 15, Thursday, 5 August 2004 Published by Commonwealth of Australia

Gazette

FOOD STANDARDS

Food Standards Australia New Zealand

Amendment No. 73 to the Australia New Zealand Food Standards Code

FOOD STANDARDS AUSTRALIA NEW ZEALAND

VARIATIONS TO THE AUSTRALIA NEW ZEALAND FOOD STANDARDS CODE

(AMENDMENT NO. 73)

1. Preamble

The variations set forth in the Schedule below are variations to the *Australia New Zealand Food Standards Code* (hereinafter called 'the Code') which was published by the National Health and Medical Research Council in the *Commonwealth of Australia Gazette*, No. P 27, on 27 August 1987, and which has been varied from time to time.

These variations are published pursuant to section 23A of the *Food Standards Australia New Zealand Act 1991*.

2. Citation

These variations may be collectively known as Amendment No. 73 to the Code.

3. Commencement

These variations commence on the date of gazettal.

4. Correction of Typographical Error

Amendment No. 72 published on 20 May 2004 contained the following typographical error -

• On page 3 (Item [1]) – the instruction should have read 'Standard 1.1.1 is varied by omitting subclauses 1(4), 1(5) and 1(6), substituting'.

SCHEDULE

[1] *Standard 1.3.4* is varied by omitting subclause 3(g), substituting –

The Merck Index, 13th Edition, Merck and Co. Ltd. Whitehouse Station, N.J. (2001); or

- [2] Standard 1.4.2 is varied by –
- [2.1] *omitting from* Schedule 1 *all entries for the following chemicals* –

Bioresmethrin Phoxim

[2.2] *omitting from* Schedule 1 *the foods and associated MRLs for each of the following chemicals* –

AMINOETHOXYVINYLGLYCIN		CYANAZINE	
AMINOETHOXYVINYLGLYCINE		CYANAZINE	
NECTARINE	0.2	STONE FRUITS	T*0.05
PEACH	0.2		
STONE FRUITS [EXCEPT AS	T0.2	CYFLUTHRIN	
OTHERWISE LISTED]		CYFLUTHRIN, SUM OF ISOMERS	
		MEAT (MAMMALIAN) (IN THE	0.02
BITERTANOL		FAT)	
BITERTANOL		<i>,</i>	
POULTRY MEAT (IN THE FAT)	1	CYPERMETHRIN	
		CYPERMETHRIN, SUM OF ISOMERS	
BUPROFEZIN		COMMON BEAN (DRY)	0.05
BUPROFEZIN			
MEAT (MAMMALIAN)	T*0.05	DELTAMETHRIN	
		DELTAMETHRIN	
CARBARYL		POULTRY MEAT	*0.01
CARBARYL			0.01
DEWBERRIES (INCLUDING	10	DIAFENTHIURON	
BOYSENBERRY, LOGANBERRY		SUM OF DIAFENTHIURON; N-[2,6-BIS(1-	
AND YOUNGBERRY)		METHYLETHYL)- 4-PHENOXYPHENYL]-N'-(1,1-	
		DIMETHYLETHYL)UREA; AND N-[2,6-BIS(1-	
CARBENDAZIM		METHYLETHYL)-4-PHENOXYPHENYL]- N'-(1,1-	
SUM OF CARBENDAZIM AND 2-		DIMETHYLETHYL)CARBODIIMIDE, EXPRESSED	
AMINOBENZIMIDAZOLE, EXPRESSE	D AS	AS DIAFENTHIURON	
CARBENDAZIM		COMMON BEANS (PODS AND/OR 0.	
EGG PLANT	0.02	IMMATURE SEEDS)	0.1
		РОТАТО	0.1
CGA279202		Томато	0.5
CGA279202			0.0
BANANAS	T0.1	DIFLUBENZURON	
GRAPES	Т3	DIFLUBENZURON	
POME FRUIT	T0.5	CATTLE MEAT	*0.02
			0.02
CHLORPYRIFOS-METHYL DIOFENOLAN			
CHLORPYRIFOS-METHYL		DIOFENOLAN	
COTTON SEED OIL	*0.01	SHEEP, EDIBLE OFFAL OF	Т0.2
		SHEEP MEAT	T5
			15

FENPICLONIL		
FENPICLONIL		
COTTON SEED	0.02	
FIPRONIL SUM OF FIPRONIL, THE SULPHEN	VI.	
METABOLITE (5-AMINO-1-[2,6-DICHL		
(TRIFLUOROMETHYL)PHENYL]-4		
[(TRIFLUOROMETHYL) SULPHENYL		
PYRAZOLE-3-CARBONITRILE),	,	
THE SULPHONYL METABOLITE (5-AMIN	0-1-[2.6-	
DICHLORO-4-(TRIFLUOROMETHYL)PHE		
[(TRIFLUOROMETHYL)SULPHONYL]-1H-		
PYRAZOLE-3-CARBONITRILE), AND	THE	
TRIFLUOROMETHYL		
METABOLITE (5-AMINO-4-TRIFLUORON 1-[2,6-DICHLORO-4-	IETHYL-	
(TRIFLUOROMETHYL)PHENYL]-1H-PYRA	AZOLE-3-	
CARBONITRILE)		
BERRIES AND OTHER SMALL	T*0.01	
FRUITS [EXCEPT STRAWBERRY		
AND WINE GRAPES]		
BROCCOLI	0.03	
BRUSSELS SPROUTS	0.1	
CABBAGES, HEAD	0.03	
CAULIFLOWER	0.03	
FLUQUINCONAZOLE		
FLUQUINCONAZOLE	0.5	
PEAR	0.5	
GLYPHOSATE GLYPHOSATE	_	
RAPE SEED, EDIBLE	T0.05	
HALOSULFURON-METHYL		
HALOSULFURON-METHYL		
SOYA BEAN (DRY)	0.5	
SOYA BEAN (IMMATURE SEEDS)	0.5	
WHEAT	0.2	
IMIDACLOPRID		
SUM OF IMIDACLOPRID AND METABO	DLITES	
CONTAINING THE 6-		
CHLOROPYRIDINYMETHYLENEMOI EXPRESSED AS IMIDACLOPRID	ETY,	
FRUITING VEGETABLES, OTHER	0.5	
THAN CUCURBITS		
INDOXACARB		
INDOXACARB MILK (IN THE FAT)	0.5	
MILK (IN THE FAT)	0.5	
MILK (IN THE FAT) IVERMECTIN H ₂ B _{1A}		
MILK (IN THE FAT) IVERMECTIN H ₂ B _{1A} EDIBLE OFFAL (MAMMALIAN)	T*0.05	
MILK (IN THE FAT) IVERMECTIN H ₂ B _{1A} EDIBLE OFFAL (MAMMALIAN) MEAT (MAMMALIAN)	T*0.05 T*0.05	
MILK (IN THE FAT) IVERMECTIN H ₂ B _{1A} EDIBLE OFFAL (MAMMALIAN)	T*0.05	

METALAXYL	
METALAXYL	
PODDED PEA (YOUNG PODS)	T1
METHIDATHION	
METHIDATHION	0.5
CATTLE, EDIBLE OFFAL OF	0.5
EDIBLE OFFAL (MAMMALIAN)	0.05
[EXCEPT CATTLE, EDIBLE OFFAL OF]	
MEAT (MAMMALIAN) [EXCEPT	0.05
CATTLE MEAT (IN THE FAT)]	0.05
METHOPRENE	
METHOPRENE, SUM OF CIS- AND TRANS	5-
ISOMERS	
MEAT (MAMMALIAN)	0.3
PERMETHRIN	
PERMETHRIN, SUM OF ISOMERS	
POULTRY, EDIBLE OFFAL OF	0.1
PIPERONYL BUTOXIDE	
PIPERONYL BUTOXIDE PIPERONYL BUTOXIDE	
POULTRY MEAT	*0.5
PROPARGITE	
PROPARGITE	
HOPS, WET	3
PYRIMETHANIL	
PYRIMETHANIL	
APPLE	1.0
PEAR	1.0
SPINOSAD	
SUM OF SPINOSYN A AND SPINOSYN D	
PEAS (PODS AND SUCCULENT	T0.2
AND IMMATURE SEEDS)	
STRAWBERRY	T0.5
TEBUFENOZIDE TEBUFENOZIDE	
APPLES	т2
THIODICARB	
SUM OF THIODICARB, METHOMYL ANI	
METHOMYLOXIME, EXPRESSED AS THIODIC	CARB
SEE ALSO METHOMYL	
POULTRY, EDIBLE OFFAL OF	*0.5
POULTRY MEAT	*0.5
RICE	*0.05
TRICLOPYR	
TRICLOPYR	
TRICLOPYR EGGS	0.05
TRICLOPYR EGGS POULTRY, EDIBLE OFFAL OF	0.05
TRICLOPYR EGGS POULTRY, EDIBLE OFFAL OF POULTRY MEAT (IN THE FAT)	0.05 0.05
TRICLOPYR EGGS POULTRY, EDIBLE OFFAL OF	0.05

[2.3] *omitting from* Schedule 1 *the foods and associated MRLs for* Sulphosulfuron, *substituting* –

SULFOSULFURON		
SUM OF SULFOSULFURON AND ITS		
METABOLITES WHICH CAN BE HYDROLYSED TO		
2-(ETHYLSULFONYL)IMIDAZO[1,2-A]PYRIDINE,		
EXPRESSED AS SULFOSULFURON		
EDIBLE OFFAL (MAMMALIAN)	*0.005	
EGGS	*0.005	
MEAT (MAMMALIAN)	*0.005	
MILKS	*0.005	
POULTRY, EDIBLE OFFAL OF	*0.005	
POULTRY MEAT	*0.005	
TRITICALE	*0.01	
WHEAT	*0.01	

[2.4] *inserting in alphabetical order in* Schedule 1, *the foods and associated MRLs for each of the following chemicals* –

AMINOETHOXYVINYLGLYCINE AMINOETHOXYVINYLGLYCINE		CYHALOTHRIN CYHALOTHRIN, SUM OF ISOMERS
STONE FRUITS [EXCEPT	0.2	BEETROOT *0.01
CHERRIES]	0.2	DEE11001 0.01
enekkiesj		CYPERMETHRIN
AZOXYSTROBIN		CYPERMETHRIN, SUM OF ISOMERS
AZOXYSTROBIN	-	COMMON BEAN (DRY) (NAVY 0.05
AVOCADO	1	BEAN)
LEEK	0.5	
LEEK	0.5	CYPRODINIL
CARBARYL		CYPRODINIL
CARBARYL		DRIED STONE FRUITS 0.05
DEWBERRIES (INCLUDING	10	DRIED 510NE 1 K0115 0.05
BOYSENBERRY AND	10	DELTAMETHRIN
LOGANBERRY)		DELTAMETHRIN
EOGANDERR'I)		POULTRY MEAT (IN THE FAT) *0.01
CARFENTRAZONE-ETHYL		100L1K1 MEAT(IN IIIE I'AI) 0.01
CARFENTRAZONE-ETHYL		DIMETHOATE
GRAPES	*0.05	SUM OF DIMETHOATE AND OMETHOATE,
OLIVES	*0.05	EXPRESSED AS DIMETHOATE
POME FRUITS	*0.05	SEE ALSO OMETHOATE
STONE FRUITS	*0.05	MIZUNA T2
TREE NUTS	*0.05	IVIIZONA 12
THEE TO IS	0.02	
CHLORPYRIFOS		
CHLORPYRIFOS		
SWEET POTATO	T0.05	
CHLORPYRIFOS-METHYL		
CHLORPYRIFOS-METHYL	_	
COTTON SEED OIL, CRUDE	*0.01	
CYFLUTHRIN		
CYFLUTHRIN, SUM OF ISOMERS		
COTTONSEED OIL, CRUDE	0.02	
MEAT (MAMMALIAN)	0.02	
	0.02	

RIPPANII	
FIPRONIL SUM OF FIPRONIL, THE SULPHEN	JVI
METABOLITE (5-AMINO-1-[2,6-DICHI	
(TRIFLUOROMETHYL)PHENYL]	
[(TRIFLUOROMETHYL) SULPHENY	
PYRAZOLE-3-CARBONITRILE	
THE SULPHONYL METABOLITE (5-AMI	
DICHLORO-4-(TRIFLUOROMETHYL)PH	
[(TRIFLUOROMETHYL)SULPHONYI	
PYRAZOLE-3-CARBONITRILE), ANI	DIHE
TRIFLUOROMETHYL	
METABOLITE (5-AMINO-4-TRIFLUORO	METHYL-
1-[2,6-DICHLORO-4-	
(TRIFLUOROMETHYL)PHENYL]-1H-PYH	RAZOLE-3-
CARBONITRILE)	Tt+0.01
BERRIES AND OTHER SMALL	T*0.01
FRUITS [EXCEPT WINE GRAPES]	
FLUDIOXONIL	
FLUDIOXONIL	
MAIZE	T*0.02
SORGHUM	T*0.05
SUNFLOWER SEED	T*0.02
SWEET CORN (CORN-ON-THE-	T*0.02
COB)	
)	
GLYPHOSATE	
GLYPHOSATE	
ADZUKI BEANS (DRY)	T10
PEANUT	*0.1
IMIDACLOPRID	_
SUM OF IMIDACLOPRID AND METAE	BOLITES
CONTAINING THE 6-	
CHLOROPYRIDINYMETHYLENEMC	
EXPRESSED AS IMIDACLOPRII	D
FRUITING VEGETABLES, OTHER	0.5
THAN CUCURBITS [EXCEPT	
SWEET CORN, CORN-ON-THE	
COB]	
1	
IVERMECTIN	
IVERMECTIN H ₂ B _{1A}	*0.01
IVERMECTIN	*0.01
IVERMECTIN H ₂ B _{1A} PIG, LIVER LINDANE	*0.01
IVERMECTIN H ₂ B _{1A} PIG, LIVER LINDANE LINDANE	
IVERMECTIN H ₂ B _{1A} PIG, LIVER LINDANE	*0.01
IVERMECTIN H ₂ B _{1A} PIG, LIVER LINDANE PINEAPPLE	
IVERMECTIN H ₂ B _{1A} PIG, LIVER LINDANE PINEAPPLE METALAXYL	
IVERMECTIN H ₂ B _{1A} PIG, LIVER LINDANE PINEAPPLE METALAXYL METALAXYL	0.5
IVERMECTIN H ₂ B _{1A} PIG, LIVER LINDANE PINEAPPLE METALAXYL PODDED PEA (YOUNG PODS)	
IVERMECTIN H ₂ B _{1A} PIG, LIVER LINDANE PINEAPPLE METALAXYL METALAXYL	0.5
IVERMECTIN H2B1A PIG, LIVER LINDANE LINDANE PINEAPPLE METALAXYL PODDED PEA (YOUNG PODS) (SNOW AND SUGAR SNAP)	0.5
IVERMECTIN H2B1A PIG, LIVER LINDANE LINDANE PINEAPPLE METALAXYL PODDED PEA (YOUNG PODS) (SNOW AND SUGAR SNAP) METHIOCARB	0.5 T0.1
IVERMECTIN H ₂ B _{1A} PIG, LIVER LINDANE LINDANE PINEAPPLE METALAXYL PODDED PEA (YOUNG PODS) (SNOW AND SUGAR SNAP) METHIOCARB SUM OF METHIOCARB, ITS SULFOXE	0.5 T0.1 DE AND
IVERMECTIN H ₂ B _{1A} PIG, LIVER LINDANE LINDANE PINEAPPLE METALAXYL METALAXYL PODDED PEA (YOUNG PODS) (SNOW AND SUGAR SNAP) METHIOCARB SUM OF METHIOCARB, ITS SULFOXI SULFONE, EXPRESSED AS METHIO	0.5 T0.1 DE AND CARB
IVERMECTIN H ₂ B _{1A} PIG, LIVER LINDANE LINDANE PINEAPPLE METALAXYL PODDED PEA (YOUNG PODS) (SNOW AND SUGAR SNAP) METHIOCARB SUM OF METHIOCARB, ITS SULFOXE	0.5 T0.1 DE AND

METHOMYL	
METHOMYL	
	*0.05
METHOPRENE	~
METHOPRENE, SUM OF CIS- AND TRANS	5-
MEAT (MAMMALIAN) (IN THE	0.3
FAT)	
OXYCARBOXIN OXYCARBOXIN	
BLUEBERRIES	T10
OXYFLUORFEN	
OXYFLUORFEN	
COTTON SEED	*0.05
PERMETHRIN	
PERMETHRIN, SUM OF ISOMERS	m t o
CORIANDER (LEAVES AND STEMS)	T10
PIPERONYL BUTOXIDE	
PIPERONYL BUTOXIDE	
POULTRY MEAT (IN THE FAT)	*0.5
PIRIMIPHOS-METHYL PIRIMIPHOS-METHYL	
TRITICALE	10
PROPARGITE	
PROPARGITE HOPS, DRY	3
nors, bki	5
PROPAZINE	
PROPAZINE	+0.1
LUPIN	*0.1
PROPICONAZOLE PROPICONAZOLE	
CELERY	T5
PYRETHRINS	
SUM OF PYRETHRINS I AND II, CINERINSI I A AND JASMOLINS I AND II, DETERMINED AI	
CALIBRATION BY MEANS OF THE	FIEK
INTERNATIONAL PYRETHRUM STANDAR	RD
PUMPKINS	T0.02
SETHOXYDIM	
SUM OF SETHOXYDIM AND METABOLIT	ES
CONTAINING THE 5-(2- ETHYLTHIOPROPYL)CYCLOHEXENE-3-C	ONE
AND 5-HYDROXYCYCLOHEXENE-3-ONE MOIET	TES
AND THEIR SULFOXIDES AND SULFOXIDES	
SULFONES, EXPRESSED AS SETHOXYDI	
WHEAT	*0.1

SPINOSAD	
SUM OF SPINOSYN A AND SPIN	OSYN D
PEAS	T0.2
RADISH	*0.05
SULPHADIMIDINE	
SULPHADIMIDINE	
TURKEY, EDIBLE OFFAL OF	0.2
TERBUFOS	
SUM OF TERBUFOS, ITS OXYGEN A	NALOGUE
AND THEIR SULFOXIDES AND SU	LFONES,
EXPRESSED AS TERBUFO	S
SWEET CORN (CORN-ON-THE-	*0.05
COB)	

THIAMETHOXAM		
THIAMETHOXAM		
CITRUS FRUITS	T0.2	
TILMICOSIN		
TILMICOSIN		
CATTLE MILK	T*0.025	
TRIADIMEFON		
SUM OF TRIADIMEFON AND TRIADIMENOL,		
EXPRESSED AS TRIADIMEF	ON	
SEE ALSO TRIADIMENOL		
MUNG BEAN (DRY)	T0.1	

[2.5] *inserting in* Schedule 1 *under the entry for the following chemical the chemical residue definition –*

CARBONYL SULPHIDE CARBONYL SULPHIDE

[2.6] inserting in alphabetical order in Schedule 1 the following reference –

FLUAZIFOP-P-BUTYL SEE FLUAZIFOP-BUTYL

[2.7] *omitting from* Schedule 1, *under the entries for the following chemicals, the maximum residue limit for the food, substituting –*

ABAMECTIN	POPPY SEED *0.02
SUM OF AVERMECTIN B 1A, AVERMECTIN B 1B	
AND D-8,9 ISOMER OF AVERMECTIN B 1A	BIFENTHRIN
PEPPERS 0.02	BIFENTHRIN
	EGG PLANT T0.5
ACIFLUORFEN	
ACIFLUORFEN	BRODIFACOUM
EDIBLE OFFAL (MAMMALIAN) 0.1	BRODIFACOUM
EGGS *0.01	CEREAL GRAINS T*0.00002
	EDIBLE OFFAL (MAMMALIAN) T*0.00005
ALDICARB	MEAT (MAMMALIAN) T*0.00005
SUM OF ALDICARB, ITS SULFOXIDE AND ITS	PULSES T*0.00002
SULFONE, EXPRESSED AS ALDICARB	
SUGAR CANE *0.02	BUPIRIMATE
	BUPIRIMATE
ASULAM	FRUITING VEGETABLES, 1
ASULAM	CUCURBITS
РОТАТО 0.4	
	BUPROFEZIN
AZINPHOS-METHYL	BUPROFEZIN
AZINPHOS-METHYL	CITRUS FRUITS 2
EDIBLE OFFAL (MAMMALIAN) *0.05	EDIBLE OFFAL (MAMMALIAN) *0.05
	MILKS *0.01
AZOXYSTROBIN	TOMATO 1
AZOXYSTROBIN	
MANGO 0.5	
PASSIONFRUIT 0.5	

BUTROXYDIM BUTROXYDIM EDIBLE OFFAL (MAMMALIAN) *0 EGGS *0	
EDIBLE OFFAL (MAMMALIAN) *0 EGGS *0	
EGGS *0	01
LEGUME VEGETABLES *0	.01
MEAT (MAMMALIAN) *0	
MILKS *0	
OILSEED *0	
POULTRY, EDIBLE OFFAL OF *0	
POULTRY MEAT *0	
PULSES *0	
CARBENDAZIM	
SUM OF CARBENDAZIM AND 2-	
AMINOBENZIMIDAZOLE, EXPRESSED AS	
CARBENDAZIM	
VEGETABLES [EXCEPT AS	3
OTHERWISE LISTED UNDER	
THIS CHEMICAL]	
-	
CHLORPYRIFOS	
CHLORPYRIFOS	
KIWIFRUIT	2
*	
CLOMAZONE	
CLOMAZONE	0.5
BEANS [EXCEPT BROAD BEANS *0	.05
AND SOYA BEANS]	
DIMETHOATE SUN OF DIMETHOATE AND OMETHOATE	
SUM OF DIMETHOATE AND OMETHOATE,	
EXPRESSED AS DIMETHOATE	
SEE ALSO OMETHOATE	Т5
QUANDONG	13
DIMETHOMORPH	
SUM OF E AND Z ISOMERS OF DIMETHOMORP	РН
POPPY SEED *0	.02
POPPY SEED *0	.02
DITHIOCARBAMATES	.02
DITHIOCARBAMATES	\S
DITHIOCARBAMATES TOTAL DITHIOCARBAMATES, DETERMINED A	AS D
DITHIOCARBAMATES TOTAL DITHIOCARBAMATES, DETERMINED A CARBON DISULPHIDE EVOLVED DURING ACI	AS D OF
DITHIOCARBAMATES TOTAL DITHIOCARBAMATES, DETERMINED A CARBON DISULPHIDE EVOLVED DURING ACT DIGESTION AND EXPRESSED AS MILLIGRAMS CARBON DISULPHIDE PER KILOGRAM OF FOO	AS D OF
DITHIOCARBAMATES TOTAL DITHIOCARBAMATES, DETERMINED A CARBON DISULPHIDE EVOLVED DURING ACT DIGESTION AND EXPRESSED AS MILLIGRAMS CARBON DISULPHIDE PER KILOGRAM OF FOO COTTON SEED	AS D OF D
DITHIOCARBAMATES TOTAL DITHIOCARBAMATES, DETERMINED A CARBON DISULPHIDE EVOLVED DURING ACT DIGESTION AND EXPRESSED AS MILLIGRAMS CARBON DISULPHIDE PER KILOGRAM OF FOO COTTON SEED	AS D OF D T10
DITHIOCARBAMATES TOTAL DITHIOCARBAMATES, DETERMINED A CARBON DISULPHIDE EVOLVED DURING ACT DIGESTION AND EXPRESSED AS MILLIGRAMS CARBON DISULPHIDE PER KILOGRAM OF FOO COTTON SEED T EGGS **	AS D OF D C10 0.5
DITHIOCARBAMATES TOTAL DITHIOCARBAMATES, DETERMINED A CARBON DISULPHIDE EVOLVED DURING ACT DIGESTION AND EXPRESSED AS MILLIGRAMS CARBON DISULPHIDE PER KILOGRAM OF FOO COTTON SEED T EGGS **	AS D OF D C10 0.5
DITHIOCARBAMATES TOTAL DITHIOCARBAMATES, DETERMINED A CARBON DISULPHIDE EVOLVED DURING ACT DIGESTION AND EXPRESSED AS MILLIGRAMS (CARBON DISULPHIDE PER KILOGRAM OF FOO COTTON SEED T EGGS T PAPAYA (PAWPAW) T DORAMECTIN DORAMECTIN	AS D OF D C10 0.5
DITHIOCARBAMATES TOTAL DITHIOCARBAMATES, DETERMINED A CARBON DISULPHIDE EVOLVED DURING ACT DIGESTION AND EXPRESSED AS MILLIGRAMS CARBON DISULPHIDE PER KILOGRAM OF FOO COTTON SEED 17 EGGS 17 PAPAYA (PAWPAW) DORAMECTIN DORAMECTIN CATTLE, EDIBLE OFFAL OF	AS D OF D 10 0.5 5
DITHIOCARBAMATES TOTAL DITHIOCARBAMATES, DETERMINED A CARBON DISULPHIDE EVOLVED DURING ACT DIGESTION AND EXPRESSED AS MILLIGRAMS CARBON DISULPHIDE PER KILOGRAM OF FOO COTTON SEED 17 EGGS 17 PAPAYA (PAWPAW) DORAMECTIN DORAMECTIN CATTLE, EDIBLE OFFAL OF	AS D OF D 10 0.5 5
DITHIOCARBAMATES TOTAL DITHIOCARBAMATES, DETERMINED A CARBON DISULPHIDE EVOLVED DURING ACT DIGESTION AND EXPRESSED AS MILLIGRAMS CARBON DISULPHIDE PER KILOGRAM OF FOO COTTON SEED 17 EGGS 17 PAPAYA (PAWPAW) DORAMECTIN DORAMECTIN CATTLE, EDIBLE OFFAL OF	AS D OF D 10 0.5 5
DITHIOCARBAMATES TOTAL DITHIOCARBAMATES, DETERMINED A CARBON DISULPHIDE EVOLVED DURING ACT DIGESTION AND EXPRESSED AS MILLIGRAMS CARBON DISULPHIDE PER KILOGRAM OF FOO COTTON SEED T EGGS * PAPAYA (PAWPAW) DORAMECTIN CATTLE, EDIBLE OFFAL OF CATTLE, EDIBLE OFFAL OF CATTLE FAT EMAMECTIN B1A, PLUS ITS 8,9-Z ISOMER AN	AS D OF D D T10 0.5 5 0.1 0.1
DITHIOCARBAMATES TOTAL DITHIOCARBAMATES, DETERMINED A CARBON DISULPHIDE EVOLVED DURING ACT DIGESTION AND EXPRESSED AS MILLIGRAMS CARBON DISULPHIDE PER KILOGRAM OF FOO COTTON SEED T EGGS * PAPAYA (PAWPAW) DORAMECTIN CATTLE, EDIBLE OFFAL OF CATTLE FAT C	AS D OF D D T10 0.5 5 0.1 0.1
DITHIOCARBAMATES TOTAL DITHIOCARBAMATES, DETERMINED A CARBON DISULPHIDE EVOLVED DURING ACT DIGESTION AND EXPRESSED AS MILLIGRAMS CARBON DISULPHIDE PER KILOGRAM OF FOO COTTON SEED T EGGS * PAPAYA (PAWPAW) DORAMECTIN CATTLE, EDIBLE OFFAL OF CATTLE, EDIBLE OFFAL OF CATTLE FAT EMAMECTIN B1A, PLUS ITS 8,9-Z ISOMER AN	AS D OF D T10 0.5 5 0.1 0.1 D

ETHOFUMESATE		
ETHOFUMESATE		
MEAT (MAMMALIAN) (IN THE FAT)	0.5	
MILKS (IN THE FAT)	0.2	
ETHOPROPHOS		
ETHOPROPHOS POTATO	*0.02	
POTATO	*0.02	
FENHEXAMID		
FENHEXAMID	10	
STRAWBERRY	10	
FIPRONIL		
SUM OF FIPRONIL, THE SULPHEN	YL	
METABOLITE (5-AMINO-1-[2,6-DICHL	ORO-4-	
(TRIFLUOROMETHYL)PHENYL]-		
[(TRIFLUOROMETHYL) SULPHENYL		
PYRAZOLE-3-CARBONITRILE),		
THE SULPHONYL METABOLITE (5-AMIN		
DICHLORO-4-(TRIFLUOROMETHYL)PHI		
[(TRIFLUOROMETHYL)SULPHONYL		
PYRAZOLE-3-CARBONITRILE), AND	THE	
TRIFLUOROMETHYL		
METABOLITE (5-AMINO-4-TRIFLUORON	METHYL-	
1-[2,6-DICHLORO-4-		
(TRIFLUOROMETHYL)PHENYL]-1H-PYR	AZOLE-3-	
CARBONITRILE)	ALOLL J	
COTTON SEED	*0.01	
COTTON SEED OIL, CRUDE	*0.01	
MUSHROOMS	0.02	
SORGHUM	0.01	
SUGAR CANE	*0.01	
FLUAZIFOP-BUTYL		
FLUAZIFOP-BUTYL		
CITRUS FRUITS	*0.02	
FLUAZINAM		
FLUAZINAM		
BRASSICA (COLE OR CABBAGE)	*0.01	
VEGETABLES		
POME FRUITS	*0.01	
	0.01	
FLUPROPANATE FLUPROPANATE		
	*0.1	
EDIBLE OFFAL (MAMMALIAN)	*0.1	
MEAT (MAMMALIAN) (IN THE	*0.1	
FAT)		
GLYPHOSATE		
GLYPHOSATE		
SUGAR CANE	T0.3	
IPRODIONE		
IPRODIONE		
MACADAMIA NUTS	*0.01	
TURMERIC ROOT	T5	

Internet	
LINCOMYCIN	
INHIBITORY SUBSTANCE, IDENTIFI LINCOMYCIN	ED AS
CATTLE MILK	*0.02
CATTLE WIEK	0.02
LUFENURON	
LUFENURON	
COTTON SEED	T0.2
Metaldehyde Metaldehyde	
TURMERIC ROOT	T1
VEGETABLES	1
METHABENZTHIAZURON	
METHABENZTHIAZURON	
CEREAL GRAINS	*0.05
GRAPES	*0.1
ONION, BULB	*0.05
METHIDATHION	
METHIDATHION	- TT 1
COFFEE BEANS	T1
MEAT (MAMMALIAN) (IN THE	0.5
FAT)	
METHOMYL	
SUM OF METHOMYL AND METH	
HYDROXYTHIOACETIMIDATE ('MET	
OXIME'), EXPRESSED AS METHON	MYL
SEE ALSO THIODICARB	T*0.00
TURMERIC, ROOT	T*0.02
METHYL BROMIDE	
METHYL BROMIDE	
FRUIT [EXCEPT JACKFRUIT;	T*0.05
LITCHI; MANGO; PAPAYA]	
MONENSIN	
MONENSIN	*0 5
POULTRY, EDIBLE OFFAL OF	*0.5
POULTRY MEAT (IN THE FAT)	*0.5
OXYFLUORFEN	
OXYFLUORFEN	*0.01
EDIBLE OFFAL (MAMMALIAN)	
EDIBLE OFFAL (MAMMALIAN)	0.01
PARATHION-METHYL	0.01
Parathion-methyl Parathion-methyl	_
PARATHION-METHYL	T*0.05 T*0.05

PERMETHRIN PERMETHRIN, SUM OF ISOMERS	
HERBS	T10
PROCYMIDONE PROCYMIDONE	
RAPE SEED OIL, CRUDE	T2
STRAWBERRY	5
PROPICONAZOLE	
PROPICONAZOLE	
MINT OIL	*0.02
PYRIMETHANIL	
PYRIMETHANIL	
РОТАТО	*0.01
ТОМАТО	1
PYRITHIOBAC SODIUM	
PYRITHIOBAC SODIUM	
COTTON SEED	*0.02
QUINZALOFOP-ETHYL	
SUM OF QUIZALOFOP-ETHYL AND QUIZAI	
ID ACID AND OTHER ESTERS, EXPRESSE QUIXZALOFOP-ETHYL	D AS
PULSES	0.2
SIMAZINE	
SIMAZINE SIMAZINE	
RAPE SEED	*0.02
TREE NUTS	*0.1
SPINOSAD	
SUM OF SPINOSYN A AND SPINOSYN	
GRAPES POME FRUITS	0.5
POME FRUITS	0.2
SULPHADOXINE SULPHADOXINE	
CATTLE MILK	*0.1
EDIBLE OFFAL (MAMMALIAN)	*0.1
MEAT (MAMMALIAN)	*0.1
TEBUCONAZOLE	
TEBUCONAZOLE BROAD REAN (DPV)	T0.5
BROAD BEAN (DRY)	10.3
TRICHLORFON TRICHLORFON	
PEPPERS	T0.5

[2.8] *inserting in alphabetical order in* Schedule 2 *the foods and ERLs for the following chemicals* –

LINDANE	
LINDANE	
FRUITS [EXCEPT AS OTHERWISE	E0.5
LISTED IN SCHEDULES 1 AND 2]	
MEAT (MAMMALIAN) (IN THE	E2
FAT)	
MILKS (IN THE FAT)	E0.2
MILKS (IN THE FAT)	E0.2

[2.9] omitting from Schedule 2 the food and ERL for the following chemicals, substituting –

ALDRIN AND DIELDRIN	
SUM OF HHDN AND HEOD	
SUGAR CANE	E*0.01

[2.10] omitting from Schedule 3 all entries for the following chemicals –

Bioresmethrin

[2.11] inserting in alphabetical order in Schedule 4 in the Commodities listed under the heading Herbs –

Mizuna

[3] *Standard 4.5.1* is varied by inserting in the Table to clause 4 –

Collagen

© Commonwealth of Australia 2004

This work is copyright. You may download, display, print and reproduce this material in unaltered form only (retaining this notice) for your personal, non-commercial use or use within your organisation. All other rights are reserved. Requests and inquiries concerning reproduction and rights should be addressed to The Information Officer, Food Standards Australia New Zealand, PO Box 7186, Canberra BC ACT 2610 or by email info@foodstandards.gov.au.