

Gazette

No. FSC 11, Wednesday, 17 December 2003 Published by Commonwealth of Australia

FOOD STANDARDS

Food Standards Australia New Zealand

Amendment No. 69
to the
Australia New Zealand
Food Standards Code

FOOD STANDARDS AUSTRALIA NEW ZEALAND

VARIATIONS TO THE AUSTRALIA NEW ZEALAND FOOD STANDARDS CODE

(AMENDMENT NO. 69)

1. Preamble

The variations set forth in the Schedule below are variations to the *Australia New Zealand Food Standards Code* (hereinafter called 'the Code') which was published by the National Health and Medical Research Council in the *Commonwealth of Australia Gazette*, No. P 27, on 27 August 1987, and which has been varied from time to time.

These variations are published pursuant to section 23A of the *Food Standards Australia New Zealand Act 1991*.

2. Citation

These variations may be collectively known as *Amendment No. 69* to the Code.

3. Commencement

These variations commence on the date of gazettal.

SCHEDULE

- [1] Standard 1.1A.2 is varied by omitting from clause (1C), 13 February 2004, substituting –
- 13 February 2006
- [2] *Standard 1.2.3* is varied by –
- [2.1] *omitting in the* Table to clause 2 –

Food containing aspartame	Statement to the effect that the product contains
	phenylalanine

substituting –

Food containing aspartame or aspartame-	Statement to the effect that the product contains
acesulphame salt	phenylalanine

[2.2] omitting the Editorial note following the Table to clause 2, substituting –

Editorial note:

'Milk' is defined in Standard 2.5.1. - 'dried milks' and 'evaporated milks' are defined in Standard 2.5.7.

The term 'reconstituted' in the Table to clause 2 means, in relation to evaporated milks and dried milks, reconstituted to the original level of hydration.

Aspartame-acesulphame salt (INS 962) is specified in the Table to clause 2 because it is a food additive which is distinct from mixtures of aspartame and acesulphame K.

- [3] **Standard 1.2.4** is varied by –
- [3.1] inserting in Part 1 of Schedule 2 –

Aspartame-acesulphame salt	962	
----------------------------	-----	--

[3.2] inserting in Part 2 of Schedule 2 –

Aspartame-acesulphame s	alt 9	962
-------------------------	-------	-----

- [4] *Standard 1.3.1* is varied by –
- [4.1] inserting in Schedule 1, under item 1.1.2 Liquid milk products and flavoured liquid milk* –

962 Aspartame-acesulphame salt 1100 mg/kg

[4.2] *inserting in* Schedule 1, *under item* 1.2.2 Fermented milk products and rennetted milk products* –

962 Aspartame-acesulphame salt 1100 mg/kg [4.3] inserting in Schedule 1, under item 3 ICE CREAM AND EDIBLE ICES* -962 Aspartame-acesulphame salt 2200 mg/kg [4.4]inserting in Schedule 1, under item 4.3.2 Fruits and vegetables in vinegar, oil, brine or alcohol* -962 Aspartame-acesulphame salt 6800 mg/kg inserting in Schedule 1, under item 4.3.3 Commercially sterile fruits and vegetables [4.5]in hermetically sealed containers* -962 1100 Aspartame-acesulphame salt mg/kg [4.6]inserting in Schedule 1, under item 4.3.4 Fruit and vegetable spreads including jams, chutnevs and related products* -6800 962 mg/kg Aspartame-acesulphame salt [4.7]inserting in Schedule 1, under item 5 CONFECTIONERY – 962 Aspartame-acesulphame salt 4500 mg/kg [4.8] inserting in Schedule 1, under item 6.4 Flour products (including noodles and pasta)* -962 450 Aspartame-acesulphame salt mg/kg [4.9]inserting in Schedule 1, under item 7.2 Biscuits, cakes and pastries* – 962 Aspartame-acesulphame salt 450 mg/kg [4.10]inserting in Schedule 1, under item 11.4 Tabletop sweeteners* – 962 Aspartame-acesulphame salt **GMP** inserting in Schedule 1, under item 13.3 Formula meal replacements and formulated supplementary foods* -962 1100 Aspartame-acesulphame salt mg/kg inserting in Schedule 1, under item 14.1.2.2 Fruit and vegetable juice products* – 962 Aspartame-acesulphame salt 1100 mg/kg inserting in Schedule 1, under item 14.1.2.2, sub-item low joule fruit and vegetable juice products -962 Aspartame-acesulphame salt 6800 mg/kg

inserting in Schedule 1, under item 14.1.3 Water based flavoured drinks* -[4.14]962 Aspartame-acesulphame salt 6800 mg/kg inserting in Schedule 1, under item 14.1.3 Water based flavoured drinks*, sub-item [4.15]Electrolyte drink and electrolyte drink base – 962 Aspartame-acesulphame salt 230 mg/kg inserting in Schedule 1, under item 14.1.3.1 Brewed soft drink* – [4.16]1500 Clause 4 limits do not 962 Aspartame-acesulphame salt mg/kg apply inserting in Schedule 1, under item 14.1.5 Coffee, coffee substitutes, tea, herbal infusions and similar products – 1100 mg/kg 962 Aspartame-acesulphame salt inserting in Schedule 1, under item 20.2, sub-item custard mix, custard powder and blanc mange powder -1100 962 Aspartame-acesulphame salt mg/kg [4.19] inserting in Schedule 1, under item 20.2, sub-item jelly – 952 Cyclamates 1600 mg/kg 954 Saccharin 160 mg/kg inserting in Schedule 1, under item 20.2, sub-item jelly – [4.20]1100 962 Aspartame-acesulphame salt mg/kg inserting in Schedule 1, under item 20.2, sub-item dairy and fat based desserts, dips and snacks -962 Aspartame-acesulphame salt 1100 mg/kg inserting in Schedule 1, under item 20.2, sub-item sauces and toppings (including mayonnaises and salad dressings) – 962 Aspartame-acesulphame salt 6800 mg/kg inserting in Schedule 1, under item 20.2, sub-item soup bases (made up as directed) – [4.23] 6800 mg/kg 962 Aspartame-acesulphame salt

(b) the fourth edition of the Food Chemicals Codex published by the National Academy of Sciences and the National Research Council of the United States of America in Washington, D.C. (1996), including supplements published to take effect on 1 December 1997, 31 March 2000 and 31 December 2001; or

Food Standards 5

Standard 1.3.4 is varied by omitting subclause 2(b), substituting –

[5]

[6] **Standard 1.4.2** is varied by –

[6.1] omitting from Schedule 1 under the entry for the following chemical the chemical residue definition, substituting –

GLUFOSINATE AND GLUFOSINATE-AMMONIUM

SUM OF GLUFOSINATE-AMMONIUM, N-ACETYL GLUFOSINATE AND 3-[HYDROXY(METHYL)-PHOSPHINOL] PROPIONIC ACID, EXPRESSED AS GLUFOSINATE (FREE ACID)

[6.2] inserting in Schedule 1–

FLUNIXIN	
FLUNIXIN	
CATTLE KIDNEY	0.02
CATTLE LIVER	0.02
CATTLE MEAT (IN THE FAT)	0.02
·	
RACTOPAMINE	
{T}RACTOPAMINE	
PIG FAT	T0.02
PIG, KIDNEY	T0.1
PIG, LIVER	T0.05
PIG MEAT	T0.02

2-(THIOCYANOMETHYLTHIO)		
BENZOTHIAZOLE		
2-(THIOCYANOMETHYLTHIO)BENZOTHIAZOLE		
COTTON SEED	T*0.01	
TOLFENAMIC ACID		
TOLFENAMIC ACID		
CATTLE, KIDNEY	*0.01	
CATTLE, LIVER	*0.01	
CATTLE MEAT	0.05	
CATTLE MILK	0.05	
PIG, KIDNEY	*0.01	
PIG, LIVER	0.1	
PIG MEAT	*0.01	

[6.3] omitting from Schedule 1 the foods and associated MRLs for each of the following chemicals –

AZOXYSTROBIN	
AZOXYSTROBIN	
PISTACHIO NUT	T*0.01
BIFENTHRIN	
BIFENTHRIN	
STONE FRUIT	T1
CARBARYL	
CARBARYL	
CHERVIL	T10
GALANGAL, RHIZOMES	T5
HERBS	T10
RUCOLA (ROCKET)	T10
CHLORFENAPYR	
CHLORFENAPYR	
PEAR	0.5
CYFLUTHRIN	
CYFLUTHRIN, SUM OF ISOMERS	
ONION, BULB	0.02

CYHALOTHRIN	
	1
CYHALOTHRIN, SUM OF ISOMERS	
ALL OTHER FOODS	*0.01
CATTLE MEAT (IN THE FAT)	0.5
GOAT MEAT (IN THE FAT)	0.1
PIG MEAT (IN THE FAT)	0.1
SHEEP MEAT (IN THE FAT)	0.1
DITHIOCARBAMATES	
TOTAL DITHIOCARBAMATES, DETERMINED AS	
CARBON DISULPHIDE EVOLVED DURING ACID	
DIGESTION AND EXPRESSED AS MILLIGRAMS OF	
CARBON DISULPHIDE PER KILOGRAM OF FOOD	
EGG PLANT (AUBERGINE)	3
OKRA	3
PEPPERS (CAPSICUMS)	T3
SWEET CORN (CORN-ON-THE-	0.5
COB)	• • •
TOMATO	3
TOWNTO	3
PYRAZOPHOS	
PYRAZOPHOS	
FRUITING VEGETABLES,	0.2
<u> </u>	0.2
CUCURBITS	

$[6.4] \quad \textit{inserting in alphabetical order in Schedule 1, the foods and associated MRLs for each of the following chemicals} \, - \,$

AZOXYSTROBIN		
AZOXYSTROBIN		
MANGO	T0.5	
TREE NUTS	T0.02	
BENTAZONE BENTAZONE		
EDIBLE OFFAL (MAMMALIAN)	*0.05	
EGGS	*0.05	
MEAT (MAMMALIAN)	*0.05	
MILKS	*0.05	
POULTRY, EDIBLE OFFAL OF	*0.05	
POULTRY MEAT	*0.05	
RICE	*0.03	
RICE	0.03	
BENZYLADENINE BENZYLADENINE		
	ΤΛ 2	
PEAR	T0.2	
BIFENTHRIN		
BIFENTHRIN		
STONE FRUITS [EXCEPT	1	
CHERRIES]		
BUPROFEZIN	_	
BUPROFEZIN		
CUCUMBER	T0.5	
EGG PLANT	T1	
GRAPES	T*0.01	
PEAR	T*0.01	
SQUASH, SUMMER	T0.5	
TOMATO	T1	
CAPTAN CAPTAN		
DRIED GRAPES	15	
EGGS	*0.02	
POULTRY, EDIBLE OFFAL OF	*0.02	
POULTRY MEAT	*0.02	
TREE NUTS	T0.3	
THEE TYOTE	10.5	
CHLORFENAPYR CHLORFENAPYR		
CHINESE CABBAGE	0.5	
POME FRUITS	0.5	
CHLOROTHALONIL		
CHLOROTHALONIL		
RICE	T*0.1	
CYHALOTHRIN		
CYHALOTHRIN, SUM OF ISOMERS		
MEAT (MAMMALIAN) (IN THE	0.5	
FAT)	0.5	

DIAFENTHIURON		
SUM OF DIAFENTHIURON; N-[2,6-BIS(1-	
METHYLETHYL)-4-PHENOXYPHENYL]-N'-(1,1-		
DIMETHYLETHYL)UREA; AND N-[2,6-BIS(1-		
METHYLETHYL)-4-PHENOXYPHENYL]-N'-(1,1-		
DIMETHYLETHYL) CARBODIIMIDE, EXPRE	ESSED	
AS DIAFENTHIURON		
PEANUT	T0.1	
DIAZINON		
DIAZINON		
PARSLEY	T.07	
Draw opylog		
DICHLORVOS DICHLORVOS		
DICHLORVOS	TO 1	
RAPE SEED	T0.1	
DITHIOCARBAMATES		
TOTAL DITHIOCARBAMATES, DETERMINE	ED AS	
CARBON DISULPHIDE EVOLVED DURING		
DIGESTION AND EXPRESSED AS MILLIGRA	MS OF	
CARBON DISULPHIDE PER KILOGRAM OF I	FOOD	
FRUITING VEGETABLES, OTHER	3	
THAN CUCURBITS [EXCEPT		
ROSELLE]		
-		
EMAMECTIN		
EMAMECTIN B1A, PLUS ITS 8,9-Z ISOMER		
EMAMECTIN B1B, PLUS ITS 8,9-Z ISOMER		
FRUITING VEGETABLES, OTHER	Γ*0.01	
THAN CUCURBITS		
LETTUCE, HEAD	T0.2	
LETTUCE, LEAF	T0.2	
FLUTRIAFOL		
FLUTRIAFOL		
GARDEN PEA (YOUNG PODS)	*0.01	
GARDENTEA (TOUNGTODS)	0.01	
GLUFOSINATE AND GLUFOSINATE-	•	
AMMONIUM		
SUM OF GLUFOSINATE-AMMONIUM, N-AC	ETYL	
GLUFOSINATE AND 3-[HYDROXY(METHY		
PHOSPHINOL] PROPIONIC ACID, EXPRESSE		
GLUFOSINATE (FREE ACID)		
EGGS	*0.05	
POULTRY, EDIBLE OFFAL OF	*0.1	
POULTRY MEAT	*0.05	
RAPE SEED	*0.05	
_	_	
INDOXACARB Indoxacarb		
EGGPLANT	0.5	
EGGPLANT	*0.01	
MUNG BEAN (DRY)	0.01	
PEPPERS (CAPSICUMS)	0.2	
POULTRY (EDIBLE OFFAL OF)	*0.01	
POULTRY MEAT (IN THE FAT)	*0.01	
1 COLIKI MILAI (IN HILLIAI)	0.01	

SOYA BEAN (DRY) SOYA BEAN OIL, REFINED	0.2 0.2
STONE FRUITS [EXCEPT	2
CHERRIES]	2
CHERRIES	
IPRODIONE	
IPRODIONE	
PISTACHIO NUT	T*0.05
MELOXICAM	
MELOXICAM	
CATTLE MILK	0.005
METHOPRENE	
METHOPRENE, SUM OF CIS- AND	TRANS-
ISOMERS	
BARRAMUNDI	T1
METHOXYFENOZIDE	
METHOXYFENOZIDE	
EDIBLE OFFAL (MAMMALIAN)	*0.01
MEAT (MAMMALIAN) (IN THE	*0.01
FAT)	
MILKS	*0.01
MEVINPHOS	
MEVINPHOS	
MILKS	*0.05
PENDIMETHALIN	
PENDIMETHALIN	
TOMATO	T*0.05
PIRIMICARB	
SUM OF PIRIMICARB, DIMETHYL-PIR	
AND N-FORMYL-(METHYLAMINO) A	
AND DIMETHYLFORMAMIDO-PIRIM	MICARB,
EXPRESSED AS PIRIMICARE	
TREE NUTS	T*0.05

Dr. oproovi gov g	
PROPICONAZOLE PROPICONAZOLE	
TREE NUTS	T0.2
TREE NUTS	10.2
PYMETROZINE	
PYMETROZINE	
ALMONDS	T*0.02
EGG PLANT	T0.05
EGGS	*0.01
PISTACHIO NUT	T*0.02
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
TOMATO	T0.2
PYRAZOPHOS	
PYRAZOPHOS	
CUCUMBER	T2
FRUITING VEGETABLES,	0.2
CUCURBITS [EXCEPT	
CUCUMBER]	
,	
PYRIDABEN	
PYRIDABEN	
TREE NUTS	T*0.05
THIACLOPRID	
THIACLOPRID	
EDIBLE OFFAL (MAMMALIAN)	*0.02
MEAT (MAMMALIAN)	*0.02
MILKS	*0.01
TRIFLOXYSULFURON SODIUM	
TRIFLOXYSULFURON COTTON SEED OIL EDIDLE	*0.01
COTTON SEED OIL, EDIBLE EDIBLE OFFAL (MAMMALIAN)	*0.01
EGGS	*0.01
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
TOOLINI MILATI	0.01

[6.5] omitting from Schedule 1, under the entries for the following chemicals, the maximum residue limit for the food, substituting -

AZOXYSTROBIN		
AZOXYSTROBIN		
EDIBLE OFFAL (MAMMALIAN)	*0.01	
CAPTAN		
CAPTAN		
EDIBLE OFFAL (MAMMALIAN)	*0.05	
MEAT (MAMMALIAN)	*0.05	
MILKS	*0.01	

CARBENDAZIM			
SUM OF CARBENDAZIM AND 2-			
AMINOBENZIMIDAZOLE, EXPRESSED AS			
CARBENDAZIM			
CUSTARD APPLE	1		
CHLOROTHALONIL			
CHLOROTHALONIL			
PERSIMMON, JAPANESE	T5		
CYHALOTHRIN			
CYHALOTHRIN, SUM OF ISOMERS			
SORGHUM	0.5		

DITHIOCARBAMATE		
TOTAL DITHIOCARBAMATES, DETERM	INED AS	
CARBON DISULPHIDE EVOLVED DURIN	IG ACID	
DIGESTION AND EXPRESSED AS MILLIG	RAMS OF	
CARBON DISULPHIDE PER KILOGRAM (OF FOOD	
PERSIMMON, JAPANESE	3	
EMAMECTIN		
EMAMECTIN B1A, PLUS ITS 8,9-Z ISOMER AND		
EMAMECTIN B1B, PLUS ITS 8,9-Z ISO	OMER	
EDIBLE OFFAL (MAMMALIAN)	0.01	
GRAPES	*0.002	
ETHEPHON		
ETHEPHON		
NECTARINE	0.01	
FLUQUINCONAZOLE		
FLUQUINCONAZOLE		
RAPE SEED	*0.01	
IMIDACLOPRID		
SUM OF IMIDACLOPRID AND METABO	OLITES	
CONTAINING THE 6-		
CHLOROPYRIDINYMETHYLENEMOI	ETY,	
EXPRESSED AS IMIDACLOPRID		
CELERY	0.3	
INDOXACARB		
INDOXACARB		
CHICK-PEA	0.2	
IPRODIONE		
IPRODIONE		
RAPE SEED	0.5	

METHOMYL		
SUM OF METHOMYL AND METHYL		
HYDROXYTHIOACETIMIDATE ('METHOMYL		
OXIME') EXPRESSED AS METHOMY		
SEE ALSO THIODICARB	_	
GUAVA	3	
METHOVYERNOZIDE		
METHOXYFENOZIDE		
METHOXYFENOZIDE		
COTTON SEED	3	
TOMATO	3	
MEVINPHOS		
MEVINPHOS		
BRASSICA (COLE OR CABBAGE)	0.3	
VEGETABLES	0.5	
EDIBLE OFFAL (MAMMALIAN)	*0.05	
MEAT (MAMMALIAN)	*0.05	
MEAT (MAMMALIAN)	0.03	
PYMETROZINE		
PYMETROZINE		
COTTON SEED	*0.02	
COTTON SEED OIL, EDIBLE	*0.02	
EDIBLE OFFAL (MAMMALIAN)	*0.01	
MEAT (MAMMALIAN)	*0.01	
MILKS	*0.01	
PYRIPROXYFEN		
PYRIPROXYFEN		
COTTON SEED	T*0.01	
FRUITING VEGETABLES, OTHER	T1	
THAN CUCURBITS		
THIACLOPRID		
THIACLOPRID		
POME FRUITS	1	
TRIFLOXYSULFURON SODIUM		
TRIFLOXYSULFURON		
COTTON SEED	*0.01	
COTTON SEED OIL, CRUDE	*0.01	
, , , , , , , , , , , , , , , , , , , ,		

[7] *Standard 1.5.2* is varied by inserting into Column 1 of the Table to clause 2 –

Food derived from insect-protected corn event MON863

- [8] **Standard 2.9.2** is varied by –
- [8.1] omitting paragraph 9(1)(b), substituting
 - (b) paragraph 5(1)(e) as it relates to saturated fat and subclauses 5(2), 5(4) and 5(5); and
- [8.2] omitting the nutrition information panel in subclause 9(2), substituting –

NUTRITION INFORMATION					
Servings per package: (insert number of servings)					
Serving size: g (or mL or other units as appropriate)					
	Quantity per Serving	Quantity per 100g (or 100 mL)			
Energy	kJ (Cal)	kJ (Cal)			
Protein	g	g			
Fat, total	g	g			
- (insert claimed fatty acids)	g	g			
Carbohydrate	g	g			
- sugars	g	g			
Sodium	mg (mmol)	mg (mmol)			
(insert any other nutrient or	g, mg, μ g (or other units	g, mg, µg (or other			
biologically active substance to be declared)	as appropriate)	units as appropriate)			

© Commonwealth of Australia 2003

This work is copyright. You may download, display, print and reproduce this material in unaltered form only (retaining this notice) for your personal, non-commercial use or use within your organisation. All other rights are reserved. Requests and inquiries concerning reproduction and rights should be addressed to The Information Officer, Food Standards Australia New Zealand, PO Box 7186, Canberra BC ACT 2610 or by email info@foodstandards.gov.au.